
# BOB HOPE AIRPORT





**MARCH 2014** 





AAAI Report 1426 AAAI Project 88018

QUARTERLY NOISE MONITORING AT BOB HOPE AIRPORT FOURTH QUARTER 2013

**MARCH 2014** 

Prepared for:

Burbank-Glendale-Pasadena Airport Authority 2627 Hollywood Way Burbank, CA 91505

Prepared by:

Acoustical Analysis Associates, Inc. 950 Enchanted Way, Suite 105 Simi Valley, CA 93065

# **TABLE OF CONTENTS**

<u>Sectio</u>	<u>on</u> <u>F</u>	Page
l.	INTRODUCTION	. 1
II.	NOISE MEASUREMENTS  A. Sites  B. Noise Measurement Equipment  C. Noise Data  D. Operational Data	. 4 . 4 . 4
III.	MEASURED NOISE DATA	. 6
IV.	SCHEDULED AIRLINE AND AIR TAXI OPERATIONS	. 6
V.	CNEL CONTOUR DEVELOPMENT	. 6
VI.	INCOMPATIBLE LAND USE	15
REFEI	RENCES	16
APPE	NDIX A - NOISE MONITOR INSTRUMENTATION	
APPE	NDIX B - CALIBRATION	

# **LIST OF TABLES**

<u>Table</u>		<u>Page</u>
1.	CNEL VALUES FOR OCTOBER 2013	7
2.	CNEL VALUES FOR NOVEMBER 2013	8
3.	CNEL VALUES FOR DECEMBER 2013	9
4.	AVERAGE CNEL VALUES	. 10
5.	WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS	. 11

# LIST OF FIGURES

<u>Figure</u>	<u>P</u>	<u>age</u>
1.	CNEL 70 CONTOUR FOR BOB HOPE AIRPORT - FOURTH QUARTER 2013	2
2.	CNEL 65 CONTOUR FOR BOB HOPE AIRPORT - FOURTH QUARTER 2013	3
3.	NOISE MONITOR LOCATIONS	5

# QUARTERLY NOISE MONITORING AT BOB HOPE AIRPORT FOURTH QUARTER 2013

#### I. INTRODUCTION

In compliance with the California Noise Standards (Reference 1) and the current variance from certain provisions of the Standards (Reference 2), the operator of the Bob Hope Airport is required to perform noise monitoring in the vicinity of the airport for the purpose of establishing a noise impact boundary. The Noise Standards currently specify a community noise equivalent level (CNEL) of 65 dB for the noise impact boundary<sup>1</sup>. The airport is required to provide, each quarter, an updated annual noise impact contour based on measurement data over the four preceding quarters.

A permanent noise monitoring system became operational in April 1980 and, with brief interruption for system expansion, maintenance, and program changes, has been operational since that time. Of the original nine noise monitor sites, eight have remained unchanged since 1980. The monitor at site 8 was removed in 1997 and replaced by a monitor at site 18. Two sites were added east of the airport in late 1980. Four sites were added south of the airport in January 1986 in response to the requirement to determine the 65 dB contour. Three more locations were added in February 1997. Two of these, identified as 16 and 17, are south of the airport, and one, 18, is to the west. These locations were added to permit monitoring closer to the 65 dB contour. The noise monitoring computer at the airport was replaced in August 1995.

The Bob Hope Airport Noise Monitoring System was modernized and augmented in late December 2012 by replacing the noise and flight track matching software, the noise monitoring hardware, and by adding sites 19, 20, 21, and 22 to allow closer monitoring to the current 65 dB CNEL contour. The old site 17 was removed as redundant with site 15, so the updated noise monitoring system contains 20 permanent microphone locations.

This report describes the data acquired by the monitoring system during the fourth quarter of 2013. Noise impact boundaries for 65 dB and 70 dB are shown based on these measurements and measurements obtained during the first, second and third quarter 2013 reported in

-1-

<sup>1</sup> Prior to January 1, 1986, a CNEL of 70 dB defined the noise impact boundary.




FIGURE 1 - BOB HOPE AIRPORT 70 dB CNEL CONTOUR 4th Quarter 2013




FIGURE 2 - BOB HOPE AIRPORT 65 dB CNEL CONTOUR 4th Quarter 2013

References 3, 4 and 5. Figure 1 shows the 70 dB contour and Figure 2 shows the 65 dB contour, based on the measured noise data.

#### **II. NOISE MEASUREMENTS**

#### A. Sites

Aircraft noise levels were monitored at 15 locations prior to February, 1997. Two sites were added in February 1997, and equipment at one site west of the airport was moved to a new location. In July 2003, the monitor station at site 9 was moved 105 feet further west to accommodate new construction at the Fire Station. In December 2012, four new monitor sites were added and one existing site removed as redundant, leaving a total of twenty noise monitoring locations. The noise monitor sites are shown in Figure 3.

#### **B.** Noise Measurement Equipment

Each of the microphone locations uses an identical set of equipment connected to a central control unit. The noise level at each site is stored locally and transmitted by broad band connection to the central site once per 24-hour period. The automated noise and flight track monitoring software processes the data to produce (among other measures) the CNEL at each site. Appendix A provides a brief description of the system.

#### C. Noise Data

During this quarter, there were occasional power interruptions and monitor equipment failures, causing some loss of data. Tables 1, 2, and 3 show the aircraft CNEL measured at each monitoring site for each day of the quarter. The dashed lines indicate days for which a monitor was operating for less than 94% of the time. The data for these days was excluded from the averages.




FIGURE 3 - BOB HOPE AIRPORT NOISE MONITOR LOCATIONS

#### D. Operational Data

Departure and arrival schedules are provided by the airlines. In addition, operations of air carrier, general aviation and rotary-wing aircraft are determined from the airport's computerized flight tracking system.

#### III. MEASURED NOISE DATA

Daily CNEL values for the noise monitoring system are listed in Tables 1, 2, and 3. Table 4 lists the average values for each quarter together with the annual average. Note that there are now, for the first time, annual average values available at the four new sites 19, 20, 21, and 22.

#### IV. SCHEDULED AIRLINE AND AIR TAXI OPERATIONS

The scheduled air carrier and commuter operations for the quarter are shown in Table 5.

#### V. CNEL CONTOUR DEVELOPMENT

The contours shown in Figures 1 and 2 are based upon computer-generated "master" contours which are adjusted to reflect the monitoring data. Beginning with the second quarter 2009, noise contours are developed using the master contours produced by Version 7.0 of the Integrated Noise Model (INM), a sophisticated aircraft noise modeling program developed for the Federal Aviation Administration. Inputs to the program consist of aircraft types and performance data, flight paths, numbers of operations, and day/evening/night distribution of flights. The program calculates CNEL values at equally spaced grid points and produces CNEL contour lines at 1 dB intervals. The annual average CNEL values at each site were marked at the appropriate locations on the contour map and the locations of the 65 and 70 dB CNEL contours were determined in the vicinity of each measuring point. These points were then joined following the general shape of the computed contours.

The master contours, used in developing the contours for this quarter are based on operations for the 12-month period from July 2008 through June 2009. This replaced the previous master set of CNEL Contours which were based on operations for the 12-month period from January 2007 through December 2007.

#### TABLE 1. CNEL VALUES FOR OCTOBER 2013

#### **RMS NUMBER**

7 9 10 11 12 13 14 15 16 22 10/01/13 61.7 57.9 58.5 57.0 55.0 55.8 55.6 61.7 54.7 55.6 56.1 58.6 55.3 58.5 59.5 60.7 60.6 63.4 64.7 61.0 10/02/13 63.1 60.4 60.1 54.7 54.2 51.5 54.0 61.8 54.6 53.4 54.3 59.1 57.1 59.5 61.6 61.2 62.7 65.4 66.9 58.1 10/03/13 61.6 60.2 61.1 55.2 55.7 55.1 55.7 63.1 53.6 53.5 54.0 58.6 57.6 60.2 62.3 62.8 63.3 65.6 67.3 60.5 10/04/13 58.1 55.5 57.1 59.6 58.3 59.7 55.9 61.6 58.6 51.0 50.2 53.2 53.5 55.9 59.2 60.9 59.6 61.6 63.8 62.1 10/05/13 55.9 54.0 55.0 54.3 53.7 53.5 51.4 56.8 52.8 50.2 48.2 53.0 51.4 53.9 56.6 56.3 56.3 59.8 61.6 59.1 10/06/13 58.5 56.6 58.4 50.7 55.2 48.8 51.3 58.8 48.8 48.5 50.7 54.5 53.9 55.9 59.3 58.2 59.1 62.8 64.1 57.2 10/07/13 61.6 58.7 59.0 56.8 54.4 50.7 53.1 59.2 53.2 53.4 53.6 58.2 55.9 58.8 60.5 58.9 61.7 63.8 65.2 59.4 10/08/13 62.5 58.8 59.5 58.3 58.4 54.0 55.4 62.2 55.0 55.4 55.2 59.9 56.1 59.8 60.6 61.3 61.9 64.2 65.6 60.1 10/09/13 62.6 61.2 61.2 55.5 58.0 60.7 61.4 62.1 53.1 52.5 53.8 59.3 58.8 60.2 62.7 61.4 62.9 66.0 67.2 60.2 10/10/13 62.2 60.1 60.9 58.8 56.0 54.2 55.4 63.1 53.8 54.7 54.7 59.1 57.5 60.4 61.9 62.5 62.9 65.0 66.6 60.6 10/11/13 60.7 61.1 61.2 54.6 55.5 53.9 55.9 62.7 54.2 53.6 53.1 56.8 57.7 59.3 61.9 62.2 62.2 64.9 66.5 60.9 10/12/13 59.7 56.9 57.5 55.8 53.4 48.8 49.9 58.7 53.7 54.1 51.3 56.1 54.4 56.9 58.8 57.9 59.5 62.0 63.5 55.8 10/13/13 60.4 58.7 58.6 50.7 54.0 49.4 51.7 61.0 52.3 53.4 51.7 57.2 55.0 58.7 59.4 60.5 61.4 63.9 64.9 57.2 10/14/13 60.3 58.7 60.0 53.5 55.0 50.0 54.4 60.3 52.7 54.8 52.4 56.8 56.5 58.3 61.4 61.0 61.3 64.3 66.1 58.8 10/15/13 60.4 58.8 59.8 58.3 59.3 53.7 54.4 61.4 54.2 56.2 53.9 56.3 56.5 58.7 61.2 61.0 61.1 64.5 65.4 58.3 10/16/13 60.3 57.8 58.7 56.3 55.6 56.5 56.9 60.8 55.6 56.5 54.8 56.1 55.0 57.4 59.9 61.3 60.2 63.8 64.6 60.8 10/17/13 60.3 58.9 59.9 57.2 55.5 55.7 55.7 61.3 52.6 54.2 53.6 57.3 56.3 58.8 61.0 60.7 61.6 64.3 65.7 61.8 10/18/13 60.6 59.2 59.6 56.5 55.8 56.5 54.4 62.0 54.3 55.2 53.2 56.4 56.2 58.1 61.1 62.8 61.5 64.7 65.9 60.5 10/19/13 58.0 56.6 58.1 53.3 56.6 56.3 51.7 56.7 51.1 53.5 51.0 54.1 54.0 55.7 59.1 56.2 58.9 62.6 63.2 58.6 10/20/13 60.6 57.9 59.2 58.2 54.9 47.3 50.9 60.3 50.6 49.3 52.2 56.6 55.2 57.9 60.2 59.7 60.7 63.5 65.0 56.8 10/21/13 61.3 59.3 59.4 56.1 55.4 51.1 54.3 59.7 56.9 60.4 54.9 57.4 56.3 58.8 61.0 59.5 62.1 64.7 66.1 59.4 10/22/13 61.7 59.0 59.6 57.9 56.0 54.5 54.9 61.6 53.6 52.5 54.0 58.5 56.3 59.1 60.5 61.4 61.9 64.4 65.9 61.0 10/23/13 61.7 59.8 60.4 54.1 54.5 53.8 53.2 62.5 56.4 52.3 53.1 58.3 57.0 58.9 61.5 61.9 62.0 64.9 66.2 57.5 10/24/13 61.6 60.2 61.7 57.4 56.9 56.9 54.6 62.7 53.2 50.1 53.3 58.6 57.5 60.1 62.2 62.6 62.7 65.7 67.2 59.4 10/25/13 61.2 59.3 60.3 55.7 55.1 53.8 57.6 62.7 54.7 54.9 53.6 57.3 56.6 59.1 61.3 61.9 62.5 64.8 66.5 64.4 10/26/13 58.9 57.3 57.8 55.6 55.2 50.3 54.3 60.2 53.7 55.3 51.3 54.8 55.6 56.5 58.9 59.3 59.1 62.8 64.0 60.9 10/27/13 59.9 57.6 58.0 57.4 57.4 47.4 49.4 62.0 54.0 53.7 52.5 56.9 54.3 57.7 59.1 61.6 60.6 62.6 64.2 54.0 10/28/13 61.9 59.8 60.2 55.5 58.3 54.2 56.1 61.2 53.6 54.7 53.9 59.1 57.3 59.6 61.5 61.4 62.5 65.1 66.1 61.3 10/29/13 61.7 58.9 60.1 55.4 57.2 53.2 52.5 61.4 55.3 55.3 53.2 58.6 56.3 58.9 60.8 60.7 61.6 64.3 65.6 58.4 10/30/13 61.6 59.9 60.0 55.6 56.1 53.7 57.5 62.6 56.0 55.5 55.7 57.5 56.9 58.9 61.5 61.4 62.1 65.3 66.2 61.6 10/31/13 60.7 57.9 58.3 56.0 55.4 53.4 54.9 61.0 56.0 55.5 53.6 58.0 54.9 58.4 59.3 60.7 61.5 63.5 65.0 60.2 AVERAGE 60.9 58.9 59.5 56.3 56.1 54.6 55.1 61.3 54.4 54.5 53.4 57.5 56.1 58.6 60.7 60.9 61.4 64.2 65.6 60.0 31 31 NO. DAYS 31 31 31 31 31 31 31 31 31 31 31 31 31

## TABLE 2. CNEL VALUES FOR NOVEMBER 2013

#### RMS NUMBER

Date/Time:	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	18	19	20	21	22
11/01/13	59.9	57.6	58.3	57.6	59.4	54.4	53.1	61.6	55.9	57.5	53.8	56.3	54.9	57.7	59.5	61.2	61.0	63.4	64.9	58.2
11/02/13	59.1	56.7	56.9	56.4	53.5	46.2	50.3	57.4	53.2	54.7	51.5	55.4	53.7	56.4	58.2	56.9	59.9	62.6	63.8	55.8
11/03/13	61.7	58.8	60.1	54.0	57.7	50.2	49.9	60.4	51.8	48.8	53.5	58.7	55.7	59.9	61.0	59.5	62.5	64.9	66.6	56.3
11/04/13	60.9	59.2	60.1	51.5	54.7	48.9	48.2	60.1	54.7	51.4	52.9	58.2	56.7	59.4	61.0	59.6	62.5	64.5	66.2	53.6
11/05/13	61.1	58.8	59.3	57.6	57.9	54.2	53.5	61.4	55.2	54.3	55.6	57.8	56.0	59.5	60.3	60.4	61.4	64.4	65.5	59.6
11/06/13	61.3	58.5	58.9	61.6	63.2	54.6	55.0	59.8	56.6	58.8	54.5	58.0	55.4	57.9	60.0	59.6	61.3	64.0	65.4	60.7
11/07/13	59.7	58.2	58.9	55.9	58.1	54.7	52.4	60.6	57.9	57.3	55.9	55.6	55.4	57.3	60.1	60.4	61.1	63.7	65.2	58.1
11/08/13	61.1	58.3	58.9	58.5	57.1	52.0	57.5	62.0	54.9	54.2	53.3	57.5	55.1	58.6	60.1	61.7	61.5	64.0	65.5	63.1
11/09/13	59.2	57.4	58.0	60.8	63.0	53.8	52.2	58.7	51.6	52.0	51.9	56.2	53.9	57.6	59.0	58.5	60.1	62.8	64.1	56.9
11/10/13	59.9	58.0	59.4	56.9	55.1	49.8	49.6	59.1	54.4	52.7	52.4	56.7	55.5	59.2	60.3	59.1	62.0	64.2	66.6	57.3
11/11/13	61.1	59.0	59.8	54.3	54.9	52.2	53.4	60.2	55.9	60.5	54.2	58.0	56.4	58.2	59.4	61.5	61.2	64.1	65.6	58.3
11/12/13	60.2	58.6	59.6	56.3	57.8	54.8	53.9	61.2	56.8	58.7	56.2	56.4	56.1	57.8	61.0	60.7	60.9	64.4	65.5	59.2
11/13/13	59.5	56.9	57.9	56.7	56.6	57.6	55.9	59.4	54.7	56.0	53.9	55.7	54.1	56.7	59.0	59.1	60.2	63.1	64.5	60.3
11/14/13	60.4	58.6	59.0	60.0	57.5	53.2	54.4	61.0	54.4	56.3	52.3	56.7	55.5	58.4	60.0	60.5	61.6	63.9	65.4	59.6
11/15/13	61.5	59.4	59.9	58.4	57.8	56.6	53.7	63.2	56.1	57.3	54.2	59.2	56.5	60.6	60.8	62.0	63.2	65.4	67.8	58.9
11/16/13	62.1	58.7	61.0	58.8	57.9	51.3	47.0	58.8	53.0	52.2	54.0	58.5	56.0	59.6	61.2	58.6	62.5	65.5	67.1	53.0
11/17/13	59.7	58.3	59.6	51.5	53.5	51.1	54.7	60.6	53.2	51.1	52.0	57.3	55.3	59.2	60.1	59.9	61.8	63.9	65.6	60.0
11/18/13	60.8	59.1	59.8	53.8	54.5	49.0	51.4	61.0	52.8	53.6	52.6	57.9	56.7	58.9	61.0	60.5	62.5	64.5	65.9	56.4
11/19/13	61.1	59.2	59.6	56.2	55.7	56.4	53.5	62.2	54.5	52.8	53.8	58.1	56.4	59.4	60.7	62.1	62.3	64.5	65.9	60.7
11/20/13	62.4	59.8	60.6	58.3	56.9	54.5	52.7	63.3	54.3	52.9	54.7	59.1	57.1	60.0	61.8	62.8	63.0	65.5	66.8	59.9
11/21/13		-	-		_														-	
11/22/13				-													-		-	
11/23/13						_											-			
11/24/13			_	-			_		_		_							-		-
11/25/13																				
11/26/13																				
11/27/13	_			-	_	_	_									_				
11/28/13								_	_	_	_		-							
11/29/13				_			_		_	_	_						-			
11/30/13	58.8	57.1	58.6	56.0	56.4	47.8	49.1	59.1	54.9	54.5	51.8		54.2	57.4	58.9	59.0	60.5	62.6	64.2	54.4
AVERAGE	60.7	58.6	50 <i>/</i>	57 5	57.8	54.5	53.6	61 1	546	55.5	53 g	57.6	55.7	58.8	60 3	60.6	61.8	64.2	65.7	50 1
NO. DAYS		30.0	30		30	30	30	30	30	30	30	26	30	30.0	30	30	30	30	30	

## TABLE 3. CNEL VALUES FOR DECEMBER 2013

#### RMS NUMBER

Date	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	18	19	20	21	22
10/01/10	=0.0			=0.0		40.4	= 4.0	04.5	=0.0	=0.0				<b>50</b> 4	=		04.4			
12/01/13						_					_						-		65.5	
12/02/13																			66.3	
12/03/13									_						_	_		_	62.5	-
12/04/13								-						-	-			-	63.4	
12/05/13																			65.4	
12/06/13 12/07/13																			66.2 66.0	
12/07/13																				
12/06/13																				
12/09/13																				
12/10/13									-											
12/11/13																				
12/12/13																				
12/13/13					-			-					-			-	-			
12/15/13																				
12/16/13		_							_										-	
12/17/13																				
12/17/13																			63.8	
12/19/13																		-	63.3	
12/20/13		-				_	_							_			_	_		
12/21/13			-			-							-					-		
12/22/13																				
12/23/13																				
12/24/13	59.3	57.3	57.9	61.0	59.7	53.3	53.7	59.8	57.3	56.7	53.9	55.6	54.1	57.7	60.6	59.8	63.9	64.9	64.8	59.4
12/25/13	56.1	54.2	54.7	57.2	54.8	46.6	46.3	56.1	49.3	47.1	48.1	52.7	51.2	54.4	56.0	57.0	66.3	67.3	61.2	64.4
12/26/13	58.9	58.3	57.8	61.9	59.7	53.6	55.1	60.0	54.4	54.7	52.6	55.1	54.4	56.9	59.3	59.7	65.4	66.5	59.5	60.9
12/27/13	59.8	56.8	57.3	59.0	59.9	55.0	53.4	59.5	52.1	55.6	53.4	55.4	53.8	56.3	59.4	58.9	61.9	63.3	54.2	54.0
12/28/13	58.3	56.4	56.6	56.2	55.3	48.2	51.6	60.2	59.8	51.9	52.7	55.0	52.7	56.2	57.5	59.8	64.8	65.9	48.4	61.3
12/29/13	58.7	56.0	57.0	60.1	60.2	49.6	49.8	58.3	46.8	46.0	50.7	55.8	53.2	56.4	58.5	57.9	62.4	63.9	54.6	58.4
12/30/13	58.7	56.1	56.3	60.6	61.0	49.1	51.1	60.6	51.7	54.0	53.1	55.3	53.0	56.3	58.7	60.3	62.2	63.0	59.8	61.6
12/31/13	59.3	57.3	57.7	57.8	59.5	53.4	51.8	59.9	53.8	54.4	54.6	56.1	55.2	56.9	59.1	59.4	63.2	64.4	58.7	60.2
AVERAGE	60.4	58.4	58.9	58.5	58.3	54.3	53.7	60.8	54.8	54.9	53.9	56.2	55.5	58.1	60.3	60.3	62.4	64.3	63.8	59.3
NO. DAYS	31	31	31	31	31	31	31	31	31	31	31	20	31	31	31	31	31	31	31	31
QTR. AVG.	60.7	58.6	59.2	57.5	57.4	54.4	54.1	61.0	54.5	54.9	53.7	57.2	55.7	58.5	60.4	60.6	61.9	64.2	65.1	59.4
NO. DAYS	92	92	92	92	92	92	92	92	92	92	92	77	92	92	92	92	92	92	92	92

**TABLE 4. AVERAGE CNEL VALUES** 

Site	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	4 Quarter
No.	2013	2013	2013	2013	Average
1	61.2	61.8	61.4	60.7	61.3
2	58.2	58.7	58.8	58.6	58.6
3	58.9	59.4	59.8	59.2	59.4
4	58.6	56.6	57.5	57.5	57.6
5	58.2	55.6	55.1	57.4	56.8
6	57.0	54.6	54.6	54.4	55.3
7	56.2	55.4	56.5	54.1	55.6
9	61.0	62.3	62.0	61.0	61.6
10	54.8	53.7	53.8	54.5	54.2
11	55.1	53.2	53.5	54.9	54.3
12	54.3	53.8	53.4	53.7	53.8
13	58.5	59.1	58.1	57.2	58.3
14	55.4	55.8	56.1	55.7	55.8
15	58.6	59.6	59.2	58.5	59.0
16	60.4	60.5	61.0	60.4	60.6
18	60.4	61.7	61.4	60.6	61.1
19	61.4	62.1	61.9	61.9	61.8
20	63.5	64.2	64.4	64.2	64.1
21	65.0	65.8	66.0	65.1	65.5
22	62.8	60.6	60.6	59.4	61.0

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE FOURTH QUARTER 2013

AIRCRAFT  DAY  EVENING  NIGHT  TOTAL	AS D8- DEP 0 0 0		DULE IN AS B7: DEP 14 0 0	EFFECT 377 ARR 7 7 0 14	FROM AS CF DEP 20 0 0 20	10/1/13 RJ7 ARR 14 6 0	to AS CRJ DEP 0 0 0		2 DAY AS B73 DEP 5 0 0	_
DAY EVENING NIGHT TOTAL	US A3 <sup>-</sup> DEP 0 0 0	SCHEI 19US A32 ARR 0 0 0 0	_	EFFECT 372 ARR 0 0 0 0	FROM US B7 DEP 0 0 0	10/1/13 /373 ARR 0 0 0	to US CRJ DEP 1 0 0	10/2/13 ARR 1 0 0	DEP 0 0 0	ARR 0 0 0 0
DAY EVENING NIGHT TOTAL	US CR DEP 0 0 0		DULE IN US CR DEP 17 5 7 29	EFFECT 2J9 ARR 24 5 0 29	FROM AA ME DEP 0 0 0 0	10/1/13 080 ARR 0 0 0	to WN B73 DEP 0 0 0	10/2/13 373 ARR 0 0 0	WN B7 DEP 0 0 0	375 ARR 0 0 0 0
DAY EVENING NIGHT TOTAL	WN B7 DEP 241 42 0 283			EFFECT 19UA A3: ARR 0 0 0 0		10/1/13 /373 ARR 0 0 0 0	to UA B73 DEP 0 0 0	10/2/13 75 ARR 0 0 0	DEP 0 0 0	ARR 0 0 0 0
DAY EVENING NIGHT TOTAL	UA B75 DEP 0 0 0 0	SCHEI 57UA RJ ARR 0 0 0 0	DULE IN  DEP  43  6  0  49	EFFECT UA CR ARR 30 19 0 49		10/1/13 FE A30 ARR 6 0 0		10/2/13 FE A31/ ARR 0 0 0		ARR 1 0 4 5
DAY EVENING NIGHT	UPS A DEP 3 5	300 ARR 4 0 4	UPS B DEP 0 0	ARR 0 0 0	DL B7 DEP 0 0	ARR 0 0 0	DL CRJ DEP 20 0	ARR 13 7 0	DL CR. DEP 0 0 0	ARR 0 0 0
TOTAL  DAY EVENING NIGHT TOTAL	BDL CR DEP 0 0 0		0 DULE IN B6 A32 DEP 0 7 0 7	0 EFFECT 20 ARR 0 7 0 7	0 FROM FW2 A DEP 0 0 0	0 10/1/13 A319 ARR 0 0 0	to	20 10/2/13	70 TOTAL DEP 370 70 7 447	0 S ARR 323 116 8 447

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE FOURTH QUARTER 2013

			SCHED	ULE IN E			10/3/13			31 DAY	S
Α	IRCRAFT	AS D8-0		AS B73		AS CRJ		AS CRJ		AS B73	
	DAV	DEP	ARR	DEP 14	ARR 7	DEP	ARR	DEP	ARR	DEP 5	ARR
	DAY EVENING	0	0	0	7	20 0	14 6	0	0	0	5 0
	NIGHT	0	0	0	0	0	0	0	0	0	0
	TOTAL	0	0	14	14	20	20	0	0	5	5
				ULE IN E			10/3/13		11/2/13		
			9US A32			US B73		US CRJ		555	400
	DAY	DEP	ARR	DEP 0	ARR		ARR	DEP	ARR	DEP	ARR
	EVENING	0	0	0	0	0	0	0	0	0	0
	NIGHT	0	0	0	0	0	0	0	0	0	0
	TOTAL	0	0	0	0	0	0	0	0	0	0
											•
						ROM			11/2/13		
		US CRJ		US CRJ		AA MD8	-	WN B73	-	WN B73	-
	DAY	DEP	ARR	DEP	ARR		ARR	DEP	ARR	DEP	ARR
	EVENING	0	0	18 7	25 7	0	0	0	0	0	0
	NIGHT	0	0	7	0	0	0	0	0	0	0
	TOTAL	0	0	32	32	0	0	0	0	0	0
				-	-		-				•
			SCHED	ULE IN E			10/3/13		11/2/13		
		WN B73				0UA B73		UA B737			
	DAY	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
	DAY EVENING	241 42	218 65	0	0	0	0	0	0	0	0
	NIGHT	0	0	0	0	0	0	0	0	0	0
	TOTAL	283	283	0	0	0	0	0	0	0	0
				ULE IN E			10/3/13		11/2/13	_	
		UA B75		חבח	UA CRJ		FE A300		FE A310		٨٥٥
	DAY	DEP 0	ARR 0	DEP 43	ARR 30	DEP 6	ARR 6	DEP 0	ARR 0	DEP 0	ARR 1
	EVENING	0	0	43 6	30 19	0	0	0	0	5	0
	NIGHT	0	0	0	0	0	0	0	0	0	4
	TOTAL	0	0	49	49	6	6	0	0	5	5
						ROM			11/2/13	D. 0D.	_
		UPS A3		UPS B7		DL B752 DEP		DL CRJ		DL CRJ	
	DAY	3	ARR 4	0 0	ARR 0	0 0	O O	20	13	0 0	ARR 0
	EVENING	5	0	0	0	0	0	0	7	0	0
	NIGHT	0	4	0	0	0	0	0	0	0	0
	TOTAL	8	8	Ō	Ō	Ö	0	20	20	Ö	Ö
				ULE IN E			10/3/13	to	11/2/13		_
		DL CRJ		B6 A320		FW2 A3	-			TOTAL	
	DAY	DEP	ARR	DEP	ARR	DEP	ARR			DEP	ARR
	EVENING	0	0	0 7	0 7	0	0			370 72	323 118
	NIGHT	0	0	0	0	0	0			7	8
	TOTAL	0	0	7	7	0	0			449	449

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE FOURTH QUARTER 2013

			ULE IN E			11/3/13			3 59 DA	_
AIRCRAFT	AS D8-	Q400 ARR	AS B73 DEP	77 ARR	AS CR.	J7 ARR	AS CRJ DEP	ARR	AS B73	78 ARR
DAY	0	0	7	7 7	12	12	2	2	14	0
<b>EVENING</b>	0	0	0	0	6	6	1	1	0	14
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	7	7	18	18	3	3	14	14
		SCHED	ULE IN E	EFFECT	FROM	11/3/13	to	12/31/1	3	
		9US A32			US B73	-	US CRJ			
DAY	DEP 0	ARR 0	DEP 0	ARR 0	DEP 0	ARR 0	DEP 0	ARR 0	DEP 0	ARR 0
EVENING	0	0	0	0	0	0	0	0	0	0
NIGHT	Ö	Ö	Ö	Ö	Ö	Ö	Ö	Ö	Ö	0
TOTAL	0	0	0	0	0	0	0	0	0	0
		SCHED	ULE IN E	FFFCT	FROM	11/3/13	to	12/31/1	3	
	US CR.		US CR.		AA MD		WN B73		WN B7	375
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	18	25	0	0	0	0	0	0
EVENING NIGHT	0 0	0 0	7 7	7 0	0 0	0 0	0	0	0	0 0
TOTAL	0	0	32	32	0	0	0	0	0	0
	WN B7		ULE IN E	_	FROM 20UA B73	11/3/13	to UA B73	12/31/1: 75	3	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	235	201	0	0	0	0	0	0	0	0
EVENING	51	85	0	0	0	0	0	0	0	0
NIGHT	0	0	0 0	0	0	0	0	0	0	0
TOTAL	286	286	U	0	U	0	0	0	U	0
			ULE IN E	EFFECT	FROM	11/3/13		12/31/1	3	
		7UA RJ		UA CR.		FE A300		FE A31		
DAY	DEP 0	ARR 0	DEP 43	ARR 30	DEP 6	ARR 6	DEP 0	ARR 0	DEP 0	ARR 1
EVENING	0	0	6	19	0	0	0	0	5	0
NIGHT	0	0	0	0	0	Ō	0	0	0	4
TOTAL	0	0	49	49	6	6	0	0	5	5
		SCHED	ULE IN E	FFFCT	FROM	11/3/13	to	12/31/1	3	
	UPS A3		UPS B7		DL B75		DL CRJ		DL CR.	17
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	3	4	0	0	0	0	20	13	0	0
EVENING NIGHT	5 0	0 4	0 0	0 0	0 0	0 0	0	7 0	0	0 0
TOTAL	8	8	0	0	0	0	20	20	0	0
	DL CR.		ULE IN E B6 A32		FROM FW2 A3	11/3/13	to	12/31/1	3 TOTAL	9
	DEP	ARR	DEP	u ARR	DEP	ARR			DEP	S ARR
DAY	0	0	0	0	0	0			360	301
<b>EVENING</b>	0	0	7	7	0	0			88	146
NIGHT	0	0	0	0	0	0			7	8
TOTAL	0	0	7	7	0	0			455	455

## TABLE 5. (CONTINUED)

**FOURTH QUARTER 2013** 

PERIOD TOTALS FOR AIR CARRIERS AND AIR TAXIS

#### AIR CARRIERS

	<u>DEP</u>	<u>ARR</u>	
DAY	3597	3130	
EVE	912	1274	
NIGHT	0	105	
TOTAL	4509	4509	
AIR TAXIS			
	<u>DEP</u>	<u>ARR</u>	
DAY	1339	1140	
EVE	221	512	
NIGHT	92	0	
TOTAL	1652	1652	

#### AIR CARRIERS AND AIR TAXIS

<u>DEP</u>	<u>ARR</u>
4936	4270
1133	1786
92	105
6161	6161
	4936 1133 92

#### VI. INCOMPATIBLE LAND USE

The contours shown in Figures 1 and 2 were digitized and overlaid on a digital land use map of the area around the Airport. The total areas enclosed by the 65 and 70 dB CNEL contours were 622.3 and 323.9 acres, respectively. The areas of incompatible land uses enclosed by the contours were then computed. The incompatible land use areas were 6.43 acres within the 65 dB contour of which 0.51 acres were also within the 70 dB contour.

It should be noted that the above incompatible land areas do not include the soundproofed schools in the vicinity of the Airport (the Luther Burbank Middle School, St. Patrick and Glenwood Schools). The above incompatible land use areas also do not include those residences to which the Airport has acquired avigation easements. Within the 65 dB contour, the Airport has acquired avigation easements, through its ongoing residential sound insulation program, to 121 parcels of land. Those 121 parcels total 17.30 acres. None of the 121 parcels are also located within the 70 dB contour. Within the 65 dB contour, the Airport has also acquired avigation easements, under the Court of Appeal decision in Baker v. Burbank-Glendale-Pasadena Airport Authority, 220 Cal. App. 3d 1602 (1990), to 56 parcels of land. For 48 of the 56 parcels, the Authority has acquired avigation easements both through Baker and through its ongoing sound insulation program. Those 48 parcels are included in the total number of sound insulation program avigation easements set forth above. The 7 remaining Baker easement parcels total 0.89 acres.

It should be noted that the Airport Authority has made repeated attempts over the past several years to acoustically treat and obtain avigation easements at 45 single family residential parcels, totaling approximately 6.43 acres of the incompatible land use area within the 65 dB contour. Owners of these parcels have either refused to respond to notices regarding the sound insulation program, have withdrawn from the program, or own properties with major building code deficiencies that prevent them from participating.

The estimated numbers of incompatible residences are 45 within the 65 dB contour, of which 3 are also within the 70 dB contour. The estimated numbers of people residing within the 65 and 70 dB CNEL contours are 122 and 8, respectively.

#### **REFERENCES**

- California Department of Transportation, Division of Aeronautics, "Noise Standards", California Code of Regulations, Title 21, Chapter 2.5, Subchapter 6.
- 2. L-30488, Department of Transportation, State of California, 27 June 1984.
- "Quarterly Noise Monitoring at Burbank Airport, First Quarter 2013",
   AAAI Report 1423.
- "Quarterly Noise Monitoring at Burbank Airport, Second Quarter 2013",
   AAAI Report 1424.
- "Quarterly Noise Monitoring at Bob Hope Airport, Third Quarter 2013",
   AAAI Report 1425.

# APPENDIX A NOISE MONITOR INSTRUMENTATION

# APPENDIX A NOISE MONITOR INSTRUMENTATION

The permanent noise monitor system, manufactured by Bruel & Kjaer, consists of 20 noise monitoring terminals (NMT) connected to a central site by DSL or wireless connections. The system block diagram showing the major elements is shown in Figure A-1. The electrical signal generated by the microphone/preamplifier assembly at each site is processed and saved locally in the B & K sound level meter. The signal is passed through an A-weighting filter and is then detected and converted to a digital level signal in decibels with a resolution of 0.1 dB.

The stored sound level data at each site is dumped once every 24-hour period via wireless or DSL connection to the central site. The data received by the central site are processed by the ANOMS computer software. According to preset parameters, the noise is separated into two categories--aircraft noise and community noise. Each event attributed to an aircraft is saved in a noise event file. Computations are made of hourly noise level, community noise equivalent level, runway use, and other parameters. A wide variety of data presentations is available by exercising a number of routines provided by B & K, as well as special-purpose routines that can be generated by the user.

The locations of the remote sites (shown in Figure 3) are listed by latitude and longitude in Table A-1.




Figure A-1. Permanent Noise Monitor System Schematic

TABLE A-1
NOISE MONITOR SITE LOCATIONS

NMT	Latitude	Longitude
1	34.188424	-118.358983
2	34.184296	-118.347330
3	34.175731	-118.354197
4	34.212022	-118.364391
5	34.215261	-118.357381
6	34.220705	-118.365214
7	34.224979	-118.363989
9	34.198871	-118.398889
10	34.195336	-118.342392
11	34.197321	-118.340376
12	34.190175	-118.365404
13	34.181303	-118.345270
14	34.178786	-118.347134
15	34.173922	-118.363157
16	34.181185	-118.350949
18	34.196899	-118.389014
19	34.181277	-118.357866
20	34.188378	-118.351878
21	34.186700	-118.354939
22	34.217035	-118.361725

APPENDIX B
CALIBRATION

# APPENDIX B CALIBRATION

The system was calibrated during setup using a Bruel and Kjaer acoustic calibrator. Acoustic calibrations are performed annually. Electrical calibrations are performed automatically four times per 24-hour day. Figure B-1 shows the calibration summary for January 2013 and Figure B-2 shows the detailed electrical calibration report for Noise Monitor Site 1.



# **Devices Report**

RMT Calibration Results

Bob Hope Airport

Start Date: 04-Jan-2013

End Date: 31-Jan-2013

Monitor Location		04-Jan-2013	11-Jan-2013	18-Jan-2013	25-Jan-2013
1	1	0.1	0.1	0.1	0.1
2	2	0.4	0.4	0.3	0.3
3	3	0.5	0.0	0.0	0.0
4	4	0.3	0.3	0.3	0.3
5	#5	0.2	0.2	0.2	0.2
6	6	0.0	0.0	0.0	0.0
7	7	0.3	0.3	0.3	0.3
9	9	0.2	0.2	0.2	0.2
10	10	0.2	0.2	0.2	0.2
11	11	0.6	0.0	0.0	0.0
12	12	0.3	0.3	0.3	0.3
13	13	0.0	0.0	0.0	0.0
14	14	0.0	0.0	0.0	0.0
15	15	0.0	0.0	0.0	0.0
16	16	0.4	0.4	0.4	0.4
18	18	0.0	0.0	0.1	0.1
19	19	0.0	0.0	0.0	0.0
20	20	0.1	0.0	0.1	0.1
21	21	0.0	0.0	0.0	0.0
22	22	0.0	0.0	0.0	0.0

15-May-2013 Page 1 of 2



## **Devices Report**

RMT Calibration Results

Bob Hope Airport

Start Date: 04-Jan-2013

End Date: 31-Jan-2013

#### Monitor Location: 1 - 1, (Fixed)

Seven Day Period Commencing: Friday January 04, 2013

Calibrated with Sound Calibrator : Never

Number of Calibrations: 27

Average adjustment for this RMT over this period: 0.10 dB

Date Time	Expected Result	Value Measured	Calibration Error
04-Jan-2013 0:00	87.1	87.2	0.:
04-Jan-2013 6:00	87.1	87.2	0.:
04-Jan-2013 12:00	87.1	87.2	0.:
04-Jan-2013 18:00	87.1	87.2	0.:
05-Jan-2013 0:00	87.1	87.2	0.:
05-Jan-2013 6:00	87.1	87.2	0.:
05-Jan-2013 12:00	87.1	87.2	0.:
05-Jan-2013 18:00	87.1	87.2	0.:
06-Jan-2013 0:00	87.1	87.2	0.:
06-Jan-2013 6:00	87.1	87.2	0.:
06-Jan-2013 12:00	87.1	87.2	0.:
06-Jan-2013 18:00	87.1	87.2	0.:
07-Jan-2013 0:00	87.1	87.2	0.:
07-Jan-2013 6:00	87.1	87.2	0.:
07-Jan-2013 12:00	87.1	87.2	0.:
07-Jan-2013 18:00	87.1	87.2	0.:
08-Jan-2013 0:00	87.1	87.2	0.:
08-Jan-2013 6:00	87.1	87.2	0.:
08-Jan-2013 12:00	87.1	87.3	0.3
08-Jan-2013 18:00	87.1	87.2	0.:
09-Jan-2013 0:00	87.1	87.2	0.:
09-Jan-2013 6:00	87.1	87.2	0.:
09-Jan-2013 12:00	87.1	87.2	0.:
09-Jan-2013 18:00	87.1	87.2	0.:
10-Jan-2013 0:00	87.1	87.2	0,:
10-Jan-2013 6:00	87.1	87.2	0.:
10-Jan-2013 12:00	87.1	87.2	0.:

15-May-2013 Page 1 of 8

**Acoustical Analysis Associates, Inc.**