

QUARTERLY NOISE MONITORING AT HOLLYWOOD BURBANK AIRPORT FOURTH QUARTER 2019

FEBRUARY 2020

Prepared for:



TABLE OF CONTENTS

<u>Section</u>	<u>Pa</u>	age
l.	NTRODUCTION	1
II.	NOISE MEASUREMENTS A. Sites B. Noise Measurement Equipment C. Noise Data D. Operational Data	4 4 4
III.	MEASURED NOISE DATA	6
IV.	SCHEDULED AIRLINE AND AIR TAXI OPERATIONS	6
V.	CNEL CONTOUR DEVELOPMENT	6
VI.	NCOMPATIBLE LAND USE	15
REFEI	ENCES	16
APPE	DIX A - NOISE MONITOR INSTRUMENTATION	
APPE	DIX B - CALIBRATION	

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1.	CNEL VALUES FOR OCTOBER 2019	7
2.	CNEL VALUES FOR NOVEMBER 2019	8
3.	CNEL VALUES FOR DECEMBER 2019	9
4.	AVERAGE CNEL VALUES	. 10
5.	WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS	. 11

LIST OF FIGURES

<u>Figure</u>	<u> </u>	Page
	CNEL 70 CONTOUR FOR HOLLYWOOD BURBANK AIRPORT - FOURTH QUARTER 2019	. 2
2.	CNEL 65 CONTOUR FOR HOLLYWOOD BURBANK AIRPORT - FOURTH QUARTER 2019	. 3
3.	NOISE MONITOR LOCATIONS	. 5

QUARTERLY NOISE MONITORING AT HOLLYWOOD BURBANK AIRPORT FOURTH QUARTER 2019

I. INTRODUCTION


In compliance with the California Noise Standards (Reference 1) and the current variance from certain provisions of the Standards (Reference 2), the operator of the Hollywood Burbank Airport is required to perform noise monitoring in the vicinity of the airport for the purpose of establishing a noise impact boundary. The Noise Standards currently specify a community noise equivalent level (CNEL) of 65 dB for the noise impact boundary¹. The airport is required to provide, each quarter, an updated annual noise impact contour based on measurement data over the four preceding quarters.


A permanent noise monitoring system became operational in April 1980 and, with brief interruption for system expansion, maintenance, and program changes, has been operational since that time. Of the original nine noise monitor sites, eight have remained unchanged since 1980. The monitor at site 8 was removed in 1997 and replaced by a monitor at site 18. Two sites were added east of the airport in late 1980. Four sites were added south of the airport in January 1986 in response to the requirement to determine the 65 dB contour. Three more locations were added in February 1997. Two of these, identified as 16 and 17, are south of the airport, and one, 18, is to the west. These locations were added to permit monitoring closer to the 65 dB contour. The noise monitoring computer at the airport was replaced in August 1995.

The Hollywood Burbank Airport Noise Monitoring System was modernized and augmented in late December 2012 by replacing the noise and flight track matching software, the noise monitoring hardware, and by adding sites 19, 20, 21, and 22 to allow closer monitoring to the current 65 dB CNEL contour. The old site 17 was removed as redundant with site 15, so the updated noise monitoring system contains 20 permanent microphone locations.

This report describes the data acquired by the monitoring system during the fourth quarter of 2019. Noise impact boundaries for 65 dB and 70 dB are shown based on these measurements and measurements obtained during the first, second, and third quarter of 2019 reported in References 3, 4 and 5. Figure 1 shows the 70 dB contour and Figure 2 shows the 65 dB contour, based on the measured noise data.

¹ Prior to January 1, 1986, a CNEL of 70 dB defined the noise impact boundary.





II. NOISE MEASUREMENTS

A. Sites


Aircraft noise levels were monitored at 15 locations prior to February, 1997. Two sites were added in February 1997, and equipment at one site west of the airport was moved to a new location. In July 2003, the monitor station at site 9 was moved 105 feet further west to accommodate new construction at the Fire Station. In December 2012, four new monitor sites were added and one existing site removed as redundant, leaving a total of twenty noise monitoring locations. The noise monitor sites are shown in Figure 3.

B. Noise Measurement Equipment

Each of the microphone locations uses an identical set of equipment connected to a central control unit. The noise level at each site is stored locally and transmitted by broad band connection to the central site once per 24-hour period. The automated noise and flight track monitoring software processes the data to produce (among other measures) the CNEL at each site. Appendix A provides a brief description of the system.

C. Noise Data

During this quarter, there were occasional power interruptions and monitor equipment failures, causing some loss of data. Tables 1, 2, and 3 show the aircraft CNEL measured at each monitoring site for each day of the quarter. The dashed lines indicate days for which a monitor was operating for less than 94% of the time. The data for these days was excluded from the averages.



BURBANK AIRPORT - NOISE MONITOR LOCATIONS

D. Operational Data

Departure and arrival schedules are provided by the airlines. In addition, operations of air carrier, general aviation and rotary-wing aircraft are determined from the airport's computerized flight tracking system.

III. MEASURED NOISE DATA

Daily CNEL values for the noise monitoring system are listed in Tables 1, 2, and 3. Table 4 lists the average values for each quarter together with the annual average.

IV. SCHEDULED AIRLINE AND AIR TAXI OPERATIONS

The scheduled air carrier and commuter operations for the quarter are shown in Table 5.

V. CNEL CONTOUR DEVELOPMENT

The contours shown in Figures 1 and 2 are based upon computer-generated "master" contours which are adjusted to reflect the monitoring data. Beginning with the fourth quarter 2009, noise contours are developed using the master contours produced by Version 7.0 of the Integrated Noise Model (INM), a sophisticated aircraft noise modeling program developed for the Federal Aviation Administration. Inputs to the program consist of aircraft types and performance data, flight paths, numbers of operations, and day/evening/night distribution of flights. The program calculates CNEL values at equally spaced grid points and produces CNEL contour lines at 1 dB intervals. The annual average CNEL values at each site were marked at the appropriate locations on the contour map and the locations of the 65 and 70 dB CNEL contours were determined in the vicinity of each measuring point. These points were then joined following the general shape of the computed contours.

The master contours used in developing the contours for this quarter are based on operations for the 12-month period from January 1, 2014 through December 31, 2014. These replaced the previous master set of CNEL Contours which were based on operations for the 12-month period from July 2008 through June 2009.

TABLE 1. CNEL VALUES FOR OCTOBER 2019

RMS NUMBER

Date	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	18	19	20	21	22
10/01/19	63.1	61.0	62.5	53.6	56.6	54.6	56.7	63.0	51.6	52.5	54.8	59.0	58.9	61.0	63.2	62.2	63.6	66.6	67.8	61.4
10/01/19	61.6	59.8	61.7	54.5	55.0	48.9	54.3	62.7	50.3	49.6	53.8	57.2	58.0	60.0	62.4	61.5	63.0	65.8	67.0	57.3
10/03/19	63.0	61.1	62.8	57.2	58.1	53.3	56.0	63.8	53.0	50.7	55.5	58.5	58.9	61.6	63.7	62.7	64.4	67.1	68.4	58.0
10/04/19	63.5	61.6	62.8	57.2	57.0	53.8	57.3	64.1	52.2	50.7	55.5	58.4	59.2	61.1	63.8	63.2	64.3	67.2	68.3	61.9
10/05/19	59.0	57.5	58.8	51.4	53.8	48.0	52.9	59.5	47.0	50.4	51.6	55.0	54.9	57.5	59.9	59.0	60.4	63.4	64.8	56.9
10/06/19	62.2	61.0	62.4	58.4	59.4	53.0	55.2	61.7	51.1	48.1	54.2	56.3	58.5	59.8	63.8	60.5	62.8	67.0	68.4	60.2
10/07/19	60.9	59.4	60.9	54.4	57.8	51.2	56.0	61.3	49.3	47.9	53.7	56.1	57.1	58.9	62.2	60.6	62.2	65.6	66.9	60.5
10/08/19	62.3	60.2	61.5	58.9	55.9	50.5	54.6	63.2	52.9	52.0	54.6	58.9	57.5	60.4	62.5	62.6	63.4	66.0	67.6	59.0
10/09/19	63.0	61.1	62.4	55.6	57.2	52.7	54.5	63.9	57.0	53.1	54.8	58.9	59.6	61.8	63.4	63.2	64.5	66.7	68.3	60.0
10/10/19	62.4	61.3	62.3	57.6	59.0	61.3	57.3	62.9	51.1	50.4	54.0	57.0	59.0	59.3	63.8	61.7	62.7	66.7	67.6	64.4
10/11/19	60.1	59.4	59.4	54.0	55.5	47.9	44.7	60.7	47.9	51.5	53.0	53.8	55.4	57.4	63.1	59.9	61.0	66.0	66.2	51.4
10/12/19	58.1	56.9	57.5	53.7	53.5	48.1	44.4	58.6	46.6	49.6	50.9	53.1	54.2	55.2	59.0	58.0	58.6	62.6	63.7	52.8
10/13/19	62.1	60.1	61.9	59.0	60.2	50.5	50.3	62.7	48.9	48.4	53.6	58.2	57.8	61.0	62.6	61.7	63.9	66.2	67.8	54.6
10/14/19	62.5	61.0	62.9	54.2	55.4	47.6	49.5	62.7	52.5	51.1	53.5	58.2	59.2	61.6	63.7	62.0	64.7	67.2	68.5	51.6
10/15/19	62.7	61.7	63.1	56.4	57.4	54.3	51.6	62.9	50.1	51.3	54.7	57.2	59.1	60.4	64.3	61.9	63.3	67.8	68.6	56.5
10/16/19	62.2	60.1	61.8	58.6	55.6	51.3	52.4	62.5	58.3	53.6	56.3	56.7	58.1	59.3	62.7	61.5	62.7	66.1	67.3	57.6
10/17/19	63.7	61.8	63.5	60.5	61.6	60.1	56.5	63.0	54.5	51.4	54.8	58.4	60.3	60.6	65.9	62.5	64.0	67.8	69.1	62.3
10/18/19	62.1	60.4	62.3	61.0	60.8	60.3	59.8	63.1	49.9	51.5	54.5	56.0	58.4	59.6	63.4	62.3	62.6	66.5	67.6	63.3
10/19/19	60.4	58.8	61.0	57.2	55.6	50.5	48.4	59.4	53.7	53.5	52.8	55.4	56.4	57.9	61.4	58.4	60.7	64.6	65.9	54.5
10/20/19	60.5	58.6	60.1	59.9	62.0	63.9	59.6	61.8	51.4	54.1	53.6	53.3	57.0	56.9	63.7	61.7	60.8	65.5	66.2	65.6
10/21/19	62.3	60.6	62.0	57.3	58.2	55.7	55.5	61.0	49.0	51.7	53.2	56.1	58.2	59.6	63.3	59.8	63.0	66.8	67.9	61.0
10/22/19	61.7	60.0	61.1	57.5	59.1	59.0	57.8	61.1	50.4	53.2	56.0	57.1	57.7	58.7	62.6	60.6	61.8	65.6	66.7	62.5
10/23/19	62.1	60.6	62.0	58.2	59.9	56.1	54.8	62.9	52.6	51.0	55.2	56.7	58.8	59.7	63.3	62.4	62.8	66.5	67.7	60.7
10/24/19	59.8	58.7	57.8	61.6	62.7	62.0	57.9	60.6	53.4	52.2	52.9	53.6	53.6	54.8	60.9	59.8	58.3	62.9	63.9	64.0
10/25/19	61.4	60.3	61.1	60.6	59.6	49.3	51.3	62.0	50.2	50.9	53.1	55.3	57.6	57.8	62.2	61.0	61.6	65.8	67.1	56.2
10/26/19	60.9	59.1	57.6	55.3	58.3	50.6	50.1	59.5	52.4	51.3	52.8	54.9	54.0	57.2	59.0	60.2	60.4	62.9	64.4	58.5
10/27/19	62.7	60.9	62.1	59.5	56.5	52.6	55.4	63.4	50.1	47.9	54.6	57.9	58.3	61.0	63.2	62.3	63.9	66.7	68.1	59.8
10/28/19	56.5	52.3	51.7	63.0	64.7	66.1	62.3	61.0	51.5	52.4	49.0	51.2	51.7	51.1	61.2	60.8	54.6	59.1	59.1	68.2
10/29/19	55.9	46.9	40.1	63.9	66.0	67.8	64.9	63.5	52.3	55.4	51.9	52.1	53.0	40.4	52.3	63.1	49.8	54.4	51.2	69.9
10/30/19	60.0	46.9	43.6	62.8	64.9	66.1	62.4	61.8	55.2	60.7	54.8	49.9	48.1	43.3	50.0	61.0	48.4	58.7	56.5	69.1
10/31/19	58.2	56.0	57.3	54.4	54.4	52.3	55.1	60.2	49.9	45.6	51.6	53.7	53.8	55.1	58.9	59.4	58.7	63.0	64.0	58.9
AVERAGE	61.6	59.8	61.1	58.7	59.8	59.3	57.1	62.2	52.3	52.5	54.0	56.5	57.5	59.1	62.5	61.4	62.2	65.7	66.8	62.5
NO. DAYS	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31

TABLE 2. CNEL VALUES FOR NOVEMBER 2019

RMS NUMBER

Date	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	18	19	20	21	22
11/01/19	61.9	58.5	59.4	56.1	57.5	54.9	52.0	59.7	56.5	57.5	56.9	53.7	55.1	56.0	61.3	59.5	60.2	66.2	66.6	55.7
11/02/19	58.1	57.1	58.7	55.6	56.4	50.0	48.6	57.5	51.1	50.0	51.0	50.1	57.1	54.0	59.2	58.7	57.1	63.1	63.4	54.1
11/03/19	61.8	59.9	61.1	61.8	62.0	51.2	53.5	60.4	51.0	51.7	53.7	55.9	57.0	58.9	62.6	59.4	62.3	66.5	67.7	57.2
11/04/19	61.4	60.5	62.5	62.0	58.3	50.1	55.3	60.5	57.0	55.1	54.3	56.0	57.7	59.4	64.6	59.8	62.7	66.2	67.3	59.5
11/05/19	62.6	61.3	62.9	63.4	62.3	53.5	56.0	61.5	51.5	55.0	55.7	57.6	59.5	59.5	64.9	61.1	62.8	67.1	68.0	60.4
11/06/19	61.9	60.3	62.4	59.1	54.2	51.7	55.9	63.0	49.2	50.5	54.2	57.3	58.0	60.1	63.2	62.5	63.2	66.3	67.5	59.9
11/07/19	63.0	61.6	63.2	61.1	59.7	52.3	52.8	63.2	52.8	52.4	55.9	58.1	60.1	61.2	64.3	62.7	64.3	67.7	68.9	56.7
11/08/19	62.3	60.7	62.0	58.7	58.5	56.4	57.0	62.0	60.7	56.2	55.9	56.4	58.6	59.5	63.4	60.6	62.4	66.6	67.7	61.7
11/09/19	57.7	56.7	58.1	53.1	56.3	48.3	47.9	58.3	51.0	49.3	52.3	52.5	54.4	55.7	59.6	57.2	58.7	62.6	63.6	54.0
11/10/19	62.4	60.8	62.4	60.7	55.3	55.2	53.4	62.2	49.6	47.5	53.9	58.1	58.6	61.3	63.3	61.2	64.2	66.7	68.1	57.8
11/11/19	63.1	61.6	63.1	57.6	53.7	48.8	54.5	63.0	51.3	49.4	54.9	57.9	59.5	60.9	64.0	62.5	64.5	67.3	68.8	58.6
11/12/19	63.0	60.9	62.6	58.3	55.0	50.9	53.5	62.9	52.1	53.9	55.7	58.3	58.9	60.0	63.4	62.5	63.3	66.8	67.8	57.9
11/13/19	62.7	60.5	61.9	56.8	54.0	53.1	54.5	62.2	51.9	53.0	54.2	57.7	58.2	60.4	63.2	61.7	63.5	66.4	67.5	60.2
11/14/19	63.1	61.2	62.8	58.6	55.4	49.3	52.7	64.3	55.1	52.2	55.1	58.7	59.2	61.5	63.9	63.5	64.5	67.1	68.5	57.8
11/15/19	62.5	61.2	63.0	56.8	56.7	53.9	59.2	63.9	50.9	51.9	54.7	58.4	59.7	61.9	63.9	63.0	64.6	67.0	68.4	63.9
11/16/19	59.2	57.5	59.0	57.8	58.9	49.5	53.1	60.1	57.4	49.5	51.7	53.9	54.8	57.2	60.3	58.9	60.1	64.2	64.6	56.8
11/17/19	61.8	60.1	61.3	59.4	58.2	51.7	51.5	60.0	51.7	52.6	55.2	56.1	57.3	59.3	62.7	59.1	62.5	66.2	67.3	56.7
11/18/19	60.7	59.5	61.8	58.3	56.0	52.2	60.0	60.6	47.2	49.7	54.3	55.2	57.1	58.1	62.5	59.8	61.5	65.7	66.7	61.2
11/19/19	62.8	60.3	61.8	58.8	57.9	54.5	55.2	63.3	53.6	51.1	55.6	59.8	57.8	60.7	62.6	62.4	63.8	66.4	67.7	57.8
11/20/19	64.8	61.9	63.4	60.8	58.8	48.1	51.9	65.3	54.1	50.3	57.2	61.3	59.6	62.4	64.3	63.9	65.1	67.6	69.0	54.7
11/21/19	64.9	62.4	63.7	57.6	57.9	55.9	53.9	64.3	54.2	51.8	57.3	61.1	59.9	62.6	64.8	63.2	65.5	68.0	69.3	61.7
11/22/19	62.9	61.3	62.8	56.6	57.7	50.7	53.1	63.7	54.8	52.8	56.9	58.3	58.9	61.1	63.7	63.1	64.0	67.2	68.3	58.6
11/23/19	62.6	60.3	62.2	58.9	58.7	50.0	54.0	60.5	52.1	51.9	57.4	57.6	58.0	59.7	63.5	59.8	62.5	66.5	67.3	57.6
11/24/19	61.3	60.3	61.9	61.1	57.9	49.4	52.6	61.1	51.9	52.6	54.8	56.4	57.8	60.2	63.1	60.4	63.0	66.3	67.3	56.6
11/25/19	60.0	57.5	58.6	62.1	62.8	63.8	59.2	58.8	46.9	52.2	52.8	55.7	55.8	56.4	63.0	58.2	60.0	63.9	64.9	65.8
11/26/19	63.4	60.7	61.4	61.2	61.6	61.7	58.5	63.9	50.4	52.5	55.4	59.6	58.0	60.7	62.9	62.4	64.0	66.3	67.8	63.7
11/27/19	64.5	62.0	62.9	61.0	60.2	59.2	57.6	64.9	55.0	54.3	56.8	60.2	59.4	62.5	64.3	64.3	65.6	67.7	69.1	61.2
11/28/19	61.5	59.0	59.7	58.0	51.4	44.0	44.4	61.5	50.6	48.0	53.9	57.0	56.3	59.2	60.9	61.3	62.3	64.7	65.9	43.3
11/29/19	61.4	59.7	60.6	54.3	57.8	56.6	56.0	62.3	50.1	51.3	54.3	56.8	57.3	59.5	62.3	62.0	62.1	65.4	66.3	60.5
11/30/19	63.8	61.7	62.5	50.2	52.5	54.0	54.7	62.4	55.7	53.4	57.0	58.7	58.9	61.3	63.8	61.6	64.0	67.8	68.9	58.9
AVERAGE	62.4	60.5	61.9	59.3	58.3	55.1	55.2	62.3	53.7	52.6	55.3	57.7	58.2	60.1	63.2	61.6	63.2	66.4	67.6	59.7
NO. DAYS	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

TABLE 3. CNEL VALUES FOR DECEMBER 2019

RMS NUMBER

Date	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	18	19	20	2.	22
42/04/40	C4 E	60.4	64.0	40.0	E4 0	F0.7	40.4	60.0	E 4 7	F2 0	<i>577</i>	60.0	64.0	60.0	CF 7	60.4	CE E	60.0	70 '	F0.0
12/01/19	64.5	63.1	64.0	49.3	51.8	50.7	49.1	62.9	54.7	53.8	57.7	60.0	61.2	62.3	65.7	62.1	65.5	69.0	70.1	50.9
12/02/19 12/03/19	63.8 63.0	62.3 61.2	63.4 62.2	55.8 56.1	56.9	55.0 52.8	56.7	61.9 63.5	55.0 52.6	52.1 52.1	56.4 55.5	58.3	59.9 59.5	61.5 60.9	65.1 63.5	61.0 63.1	64.8 63.8	67.9 67.0	69.: 68.	62.0 62.5
12/03/19	64.7	61.7	62.5	60.2	54.8 56.9	52.8 51.3	57.3 51.7	64.9	52.6 55.1	53.3	56.7	58.1 60.8	59.5 59.0	62.6	63.8	64.2	65.3	67.0	68.	6∠.5 54.1
12/04/19	63.6	62.0	63.5	56.0	57.5	52.9	56.3	64.5	56.6	53.3	57.0	59.5	59.0	62.0	64.7	63.7	65.0	67.8	69.	61.2
12/05/19	64.5	62.2	63.1	55.6	57.8	52.9	54.5	63.7	57.2	52.8	57.0 57.7	60.2	59.6	62.0	64.7	63.1	65.2	68.2	69.	58.0
12/06/19	59.8	58.2	59.1	56.3	56.5	51.3	49.3	61.2	51.4	50.2	52.0	55.7	55.4	58.5	60.7	61.2	61.5	63.6	65.4	56.5
12/07/19	64.5	62.8	64.0	56.9	57.9	43.1	50.0	62.7	55.5	55.5	56.2	60.2	60.5	62.6	65.2	62.0	65.6	68.6	69.8	52.4
12/06/19	62.9	61.4	62.9	59.9	59.8	55.1	57.0	62.7	52.8	53.7	55.1	58.1	59.3	61.8	64.6	61.9	64.7	67.2	68.	52.4 61.4
12/10/19	62.9	61.3	62.7	65.3	63.6	56.6	59.7	62.7	52.4	54.3	57.0	59.0	58.8	61.3	63.7	62.1	64.1	66.9	68.4	65.3
12/10/19	62.9	61.2	63.0	58.4	57.4	54.2	54.9	63.2	55.4	58.9	56.9	58.4	59.3	61.1	64.3	62.3	64.0	66.9	68.	60.8
12/11/19	63.7	62.0	63.9	63.1	61.7	57.0	59.7	62.2	54.5	50.9	56.2	59.4	59.9	62.4	65.2	61.3	65.5	67.8	69.:	64.0
12/13/19	63.2	55.1	63.2	60.6	58.4	55.4	60.9	64.0	55.1	51.5	55.9	58.4	59.5	61.4	64.3	63.2	64.3	67.3	68.	65.1
12/14/19	60.8		60.7	51.8	53.6	46.8	51.2	61.5	52.5	50.0	53.7	56.3	56.7	59.3	61.9	60.5	61.9	65.1	66.	54.0
12/15/19	60.8		59.5	62.7	64.5	65.4	61.7	56.7	52.9	53.8	54.7	55.0	56.9	56.3	64.6	57.7	59.5	64.3	65.6	66.7
12/16/19	60.4		60.0	57.9	57.0	52.7	52.0	60.4	52.0	48.2	52.7	55.9	56.0	58.4	61.6	59.2	61.9	65.0	66.	58.1
12/17/19	61.4		60.8	56.0	57.3	56.0	55.5	61.3	52.2	54.6	55.3	57.5	57.0	58.7	62.6	61.2	62.0	66.1	67.	55.5
12/18/19	62.7		63.2	54.4	56.2	55.9	53.2	62.5	53.1	54.8	57.2	57.7	59.2	60.3	64.6	61.3	63.5	67.6	68.4	56.4
12/19/19	63.7		63.5	59.7	61.1	56.7	55.1	63.2	54.3	53.8	58.3	58.6	59.5	61.2	64.8	62.4	64.5	68.0	68.	59.3
12/20/19	63.8		62.8	59.7	60.2	54.3	56.5	62.4	56.1	58.0	55.2	57.6	58.9	60.5	64.3	61.5	63.9	68.1	68.9	61.1
12/21/19	61.8		59.8	59.8	62.2	53.2	53.5	61.3	52.4	49.9	56.2	56.7	58.6	58.6	61.7	60.8	61.8	65.8	66.	56.3
12/22/19	64.4		61.6	60.2	57.5	48.2	54.3	64.7	55.0	49.3	56.6	60.5	58.0	61.2	62.5	63.8	64.1	66.5	68.2	56.4
12/23/19	65.1		63.7	59.0	55.8	51.6	53.7	64.8	56.5	52.6	56.2	60.3	60.9	62.6	65.1	64.3	65.5	68.5	69.8	56.3
12/24/19	61.9		61.4	54.5	55.0	51.2	53.8	62.8	50.1	49.3	56.6	57.9	57.6	59.6	62.4	61.9	62.7	65.5	66.≀	57.6
12/25/19	65.4		61.5	62.8	62.5	45.7	50.7	64.1	53.4	45.5	55.4	60.8	58.7	61.6	63.1	63.1	64.3	68.1	69. ⁻	48.5
12/26/19	64.1	56.2	62.6	60.0	61.0	61.9	57.8	63.8	55.4	52.9	56.9	58.8	59.8	61.1	66.1	63.3	64.3	67.7	68.7	62.9
12/27/19	60.8	49.3	59.5	60.7	62.2	63.8	60.5	62.0	56.6	55.3	55.9	54.6	56.7	56.7	64.7	63.1	59.7	64.4	65.4	65.3
12/28/19	61.3		60.8	54.2	54.8	45.5	50.5	62.8	48.9	49.0	52.8	56.8	57.1	59.8	62.2	62.1	62.9	65.3	66.7	54.6
12/29/19	63.8		62.3	58.0	57.2	48.8	53.4	62.7	52.9	53.5	51.3	58.4	58.6	62.0	63.7	61.9	64.4	67.0	68.	57.4
12/30/19	60.4		59.7	61.8	62.7	65.4	61.8	62.6	55.2	52.4	55.0	55.1	59.4	57.7	60.6	61.6	60.6	64.0	65.0	66.5
12/31/19	57.1		51.0	63.8	64.8	66.1	62.1	62.2	50.7	48.5	53.9	52.0	49.5	48.2	53.6	61.4	51.5	56.9	56.8	67.1
AVERAGE	63.0	61.0	62.1	59.7	59.8	58.2	57.0	62.9	54.3	53.3	55.9	58.4	58.8	60.7	63.8	62.2	63.7	66.9	68. ⁻	61.5
NO. DAYS	31	15	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	3.	31

TABLE 4. AVERAGE CNEL VALUES

Site	1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	4 Quarter
No.	2019	2019	2019	2019	Average
1	61.9	62.4	62.1	62.3	62.2
2	59.7	60.5	60.3	60.2	60.2
3	60.8	61.8	61.7	61.7	61.5
4	59.1	57.7	57.1	59.2	58.4
5	60.1	58.3	56.3	59.3	58.7
6	59.6	56.5	53.9	57.8	57.4
7	58.1	57.1	56.1	56.5	57.0
9	62.0	63.2	62.9	62.4	62.7
10	54.2	54.1	53.3	53.4	53.8
11	53.6	53.3	52.7	52.7	53.0
12	54.5	54.5	53.6	55.0	54.5
13	57.9	58.1	57.3	57.6	57.7
14	57.6	58.6	58.6	58.2	58.3
15	60.0	60.5	60.2	60.0	60.2
16	62.6	63.4	62.8	63.2	63.0
18	61.3	62.5	62.4	61.7	62.0
19	62.9	63.6	63.3	63.1	63.2
20	65.5	66.2	66.3	66.3	66.1
21	66.5	67.7	67.7	67.5	67.4
22	63.3	62.1	61.5	61.4	62.1

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE FOURTH QUARTER 2019

AIRCRAFT DAY EVENING NIGHT TOTAL	AS EMB175 DEP 14 7 0 21		JLE IN EFFE AS B7379 DEP 7 7 0	CT FROM ARR 14 0 0 14	10/1/2019 AS A320 DEP 27 0 0 27	to ARR 20 7 0 27	10/5/2019 US CRJ9 DEP 7 4 7	ARR 11 7 0 18	5 DAYS AA A319 DEP 7 0 0 7	ARR 7 0 0 7
DAY EVENING NIGHT TOTAL	AA B7378 DEP 13 0 0 13	ARR 7 6 0 13	ILE IN EFFE WN B7377 DEP 339 77 0 416	_	10/1/2019 WN B7378 DEP 12 8 0 20	to ARR 8 12 0 20	10/5/2019 UA A319 DEP 14 0 0	ARR 8 6 0 14	UA EMB175 DEP 1 0 0	ARR 1 0 0 1
DAY EVENING NIGHT TOTAL	UA RJ DEP 18 5 0 23	ARR 12 11 0 23	ILE IN EFFE FE A300 DEP 2 9 0	CT FROM ARR 7 0 4 11	10/1/2019 UPS A300 DEP 3 5 0	to ARR 4 0 4 8	10/5/2019 DL E175 DEP 34 0 0 34	ARR 27 7 0 34	DL B7377 DEP 7 6 0 13	ARR 7 6 0 13
DAY EVENING NIGHT TOTAL	B6 A320 DEP 4 12 0 16	ARR 9 7 0 16	JLE IN EFFE C208 DEP 14 0 0		10/1/2019 NKS A319 DEP 14 0 0	to ARR 14 0 0 14	10/5/2019		TOTALS DEP 537 140 7 684	ARR 502 174 8 684

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE FOURTH QUARTER 2019

			JLE IN EFFEC	T FROM		to	11/4/2019) 3	0 DAYS	
AIRCRAFT			AS B7379		AS A320		US CRJ9		AA A319	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	14	14	7	14	27	20	14	21	7	7
EVENING	7	7	7	0	0	7	6	6	0	0
NIGHT	0	0	0	0	0	0	7	0	0	0
TOTAL	21	21	14	14	27	27	27	27	7	7
		CCHEDI	JLE IN EFFEC	T EDOM	10/6/2010	to	11/4/2019			
	AA B7378	SCI ILDO	WN B7377	, I I KOWI	WN B7378	iO	UA A319		UA EMB175	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	14	7	339	318	12	8	11	4	9	8
EVENING	0	7	77	98	8	12	0	7	0	1
NIGHT	0	0	0	90	0	0	0	0	0	0
TOTAL	14	14	416	416	20	20	11	11	9	9
IOIAL	14	14	410	410	20	20	11	11	9	Э
		SCHEDU	JLE IN EFFEC	T FROM	10/6/2019	to	11/4/2019			
	UA RJ		FE A300		UPS A300		DL E175		DL B7377	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	10	10	2	7	3	4	34	27	7	7
EVENING	6	6	9	0	5	0	0	7	6	6
NIGHT	0	0	0	4	0	4	0	0	0	0
TOTAL	16	16	11	11	8	8	34	34	13	13
		CCHEDI	JLE IN EFFEC	T EDOM	10/6/2010	to	11/4/2019			
	B6 A320	SCHEDU	C208	_	NKS A319	ıo	11/4/2019		TOTALS	
	DEP	ARR	DEP	ARR	DEP	ARR			DEP	ARR
DAY	4	9	14	14					542	513
EVENING	4 12	9 7	0	0	14 0	14 0			_	171
_		0	-	-	_	-			143 7	
NIGHT TOTAL	0 16	0 16	0 14	0 14	0 14	0 14			7 692	8 692
11 11 41										

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE FOURTH QUARTER 2019

AIRCRAFT DAY EVENING NIGHT TOTAL	AS EMB175 DEP 0 7 0 7	SCHEDU ARR 0 7 0 7	ILE IN EFFE AS B7379 DEP 0 0 0	ARR 0 0 0 0	11/6/2019 AS A320 DEP 35 0 0	to ARR 28 7 0 35	12/31/2019 US CRJ9 DEP 14 6 7 27	ARR 21 6 0 27	66 DAYS AA A319 DEP 7 0 0 7	ARR 7 0 0 7
DAY EVENING NIGHT TOTAL	AA B7378 DEP 14 0 0	ARR 7 7 0 14	ILE IN EFFE WN B7377 DEP 339 77 0 416	ARR 318 98 0 416	11/6/2019 WN B7378 DEP 12 8 0 20	to ARR 8 12 0 20	12/31/2019 UA A319 DEP 11 0 0	ARR 4 7 0 11	UA EMB175 DEP 9 0 0 9	ARR 8 1 0 9
DAY EVENING NIGHT TOTAL	UA RJ DEP 10 6 0	ARR 10 6 0 16	ILE IN EFFE FE A300 DEP 2 9 0	CT FROM ARR 7 0 4 11	11/6/2019 UPS A300 DEP 3 5 0	to ARR 4 0 4 8	12/31/2019 DL E175 DEP 34 0 0 34	ARR 27 7 0 34	DL B7377 DEP 7 6 0	ARR 7 6 0 13
DAY EVENING NIGHT TOTAL	B6 A320 DEP 4 12 0	ARR 9 7 0 16	LE IN EFFE C208 DEP 14 0 0		11/6/2019 NKS A319 DEP 14 0 0	to ARR 14 0 0 14	12/31/2019		TOTALS DEP 529 136 7 672	ARR 493 171 8 672

Table 5. (continued)

PERIOD TOTALS FOR AIR CARRIERS AND COMMUTERS

AIR CARRIERS

	<u>DEP</u>	<u>ARR</u>
DAY	6670	6021
EVE	1442	2078
NIGHT	92	105
TOTAL	8204	8204

COMMUTERS

	<u>DEP</u>	<u>ARR</u>
DAY	730	730
EVE	313	313
NIGHT	0	0
TOTAL	1043	1043

AIR CARRIERS AND COMMUTERS

	<u>DEP</u>	<u>ARR</u>
DAY	7400	6751
EVE	1755	2391
NIGHT	92	105
TOTAL	9247	9247

VI. INCOMPATIBLE LAND USE

The contours shown in Figures 1 and 2 were digitized and overlaid on a digital land use map of the area around the Airport. The total areas enclosed by the 65 and 70 dB CNEL contours were 654.4 and 235.5 acres, respectively. The areas of incompatible land uses enclosed by the contours were then computed. The incompatible land use areas were 13.73 acres within the 65 dB contour of which 0.37 acres were also within the 70 dB contour.

It should be noted that the above incompatible land areas do not include the soundproofed schools in the vicinity of the Airport (the Luther Burbank Middle School, St. Patrick and Glenwood Schools). The above incompatible land use areas also do not include those residences to which the Airport has acquired avigation easements. Within the 65 dB contour, the Airport has acquired avigation easements, through its ongoing residential sound insulation program, to 394 parcels of land. Those 394 parcels total 59.52 acres. One of the 394 parcels is also located within the 70 dB contour. The Airport has acquired avigation easement to a number of parcels under California law pursuant to the Baker v. Burbank-Glendale-Pasadena Airport Authority line of legal decisions. It should be noted that only 7 parcels, however, totaling .89 acres, remain within the Airport's 65 dB CNEL contour. The Airport has a "Baker" easement for the 7 parcels but has not yet also obtained an easement in return for the parcels' participation in the Airport's sound insulation program.

It should be noted that the Airport Authority has made repeated attempts over the past several years to acoustically treat and obtain avigation easements at 86 single family residential parcels, totaling approximately 12.32 acres of the incompatible land use area within the 65 dB contour. Owners of these parcels have either refused to respond to notices regarding the sound insulation program, have withdrawn from the program, or own properties with major building code deficiencies that prevent them from participating.

The estimated numbers of incompatible residences are 137 within the 65 dB contour, of which 2 are also within the 70 dB contour. The estimated numbers of people residing within the 65 and 70 dB CNEL contours are 370 and 5, respectively.

REFERENCES

- California Department of Transportation, Division of Aeronautics, "Noise Standards", California Code of Regulations, Title 21, Chapter 2.5, Subchapter 6.
- 2. L-30488, Department of Transportation, State of California, 27 June 1984.
- "Quarterly Noise Monitoring at Hollywood Burbank Airport, First Quarter 2019",
 AAAI Report 1550.
- 4. "Quarterly Noise Monitoring at Hollywood Burbank Airport, Second Quarter 2019", AAAI Report 1551.
- "Quarterly Noise Monitoring at Hollywood Burbank Airport, Third Quarter 2019",
 AAAI Report 1552.

APPENDIX A NOISE MONITOR INSTRUMENTATION

APPENDIX A NOISE MONITOR INSTRUMENTATION

The permanent noise monitor system, manufactured by Bruel & Kjaer, consists of 20 noise monitoring terminals (NMT) connected to a central site by DSL or wireless connections. The system block diagram showing the major elements is shown in Figure A-1. The electrical signal generated by the microphone/preamplifier assembly at each site is processed and saved locally in the B & K sound level meter. The signal is passed through an A-weighting filter and is then detected and converted to a digital level signal in decibels with a resolution of 0.1 dB.

The stored sound level data at each site is dumped once every 24-hour period via wireless or DSL connection to the central site. The data received by the central site are processed by the ANOMS computer software. According to preset parameters, the noise is separated into two categories--aircraft noise and community noise. Each event attributed to an aircraft is saved in a noise event file. Computations are made of hourly noise level, community noise equivalent level, runway use, and other parameters. A wide variety of data presentations is available by exercising a number of routines provided by B & K, as well as special-purpose routines that can be generated by the user.

The locations of the remote sites (shown in Figure 3) are listed by latitude and longitude in Table A-1.




Figure A-1. Permanent Noise Monitor System Schematic

TABLE A-1
NOISE MONITOR SITE LOCATIONS

NMT	Latitude	Longitude
1	34.188424	-118.358983
2	34.184296	-118.347330
3	34.175731	-118.354197
4	34.212022	-118.364391
5	34.215261	-118.357381
6	34.220705	-118.365214
7	34.224979	-118.363989
9	34.198871	-118.398889
10	34.195336	-118.342392
11	34.197321	-118.340376
12	34.190175	-118.365404
13	34.181303	-118.345270
14	34.178786	-118.347134
15	34.173922	-118.363157
16	34.181185	-118.350949
18	34.196899	-118.389014
19	34.181277	-118.357866
20	34.188378	-118.351878
21	34.186700	-118.354939
22	34.217035	-118.361725

APPENDIX B CALIBRATION

APPENDIX B CALIBRATION

The system was calibrated during setup using a Bruel and Kjaer acoustic calibrator. Acoustic calibrations are performed annually. Electrical calibrations are performed automatically four times per 24-hour day. Figure B-1 shows the calibration summary for January 2013 and Figure B-2 shows the detailed electrical calibration report for Noise Monitor Site 1.



Devices Report

RMT Calibration Results

Bob Hope Airport

Start Date: 04-Jan-2013 End Date: 31-Jan-2013

Monitor Location: 1 - 1, (Fixed)

Seven Day Period Commencing: Friday January 04, 2013

Calibrated with Sound Calibrator: Never

Number of Calibrations: 27

Average adjustment for this RMT over this period: 0.10 dB

Date Time	Expected Result	Value Measured	Calibration Error
04-Jan-2013 0:00	87.1	87.2	0.1
04-Jan-2013 6:00	87.1	87.2	0.1
04-Jan-2013 12:00	87.1	87.2	0.1
04-Jan-2013 18:00	87.1	87.2	0.1
05-Jan-2013 0:00	87.1	87.2	0.1
05-Jan-2013 6:00	87.1	87.2	0.1
05-Jan-2013 12:00	87.1	87.2	0.1
05-Jan-2013 18:00	87.1	87.2	0.1
06-Jan-2013 0:00	87.1	87.2	0.1
06-Jan-2013 6:00	87.1	87.2	0.1
06-Jan-2013 12:00	87.1	87.2	0.1
06-Jan-2013 18:00	87.1	87.2	0.1
07-Jan-2013 0:00	87.1	87.2	0.1
07-Jan-2013 6:00	87.1	87.2	0.1
07-Jan-2013 12:00	87.1	87.2	0.1
07-Jan-2013 18:00	87.1	87.2	0.1
08-Jan-2013 0:00	87.1	87.2	0.1
08-Jan-2013 6:00	87.1	87.2	0.1
08-Jan-2013 12:00	87.1	87.3	0.2
08-Jan-2013 18:00	87.1	87.2	0.1
09-Jan-2013 0:00	87.1	87.2	0.1
09-Jan-2013 6:00	87.1	87.2	0.1
09-Jan-2013 12:00	87.1	87.2	0.1
09-Jan-2013 18:00	87.1	87.2	0.1
10-Jan-2013 0:00	87.1	87.2	0.1
10-Jan-2013 6:00	87.1	87.2	0.1
10-Jan-2013 12:00	87.1	87.2	0.1

15-May-2013 Page 1 of 8



Devices Report

RMT Calibration Results

Bob Hope Airport

Start Date: 04-Jan-2013

End Date: 31-Jan-2013

М	onitor Location	04-Jan-2013	11-Jan-2013	18-Jan-2013	25-Jan-2013
1	1	0.1	0.1	0.1	0.1
2	2	0.4	0.4	0.3	0.3
3	3	0.5	0.0	0.0	0.0
4	4	0.3	0.3	0.3	0.3
5	#5	0.2	0.2	0.2	0.2
6	6	0.0	0.0	0.0	0.0
7	7	0.3	0.3	0.3	0.3
9	9	0.2	0.2	0.2	0.2
10	10	0.2	0.2	0.2	0.2
11	11	0.6	0.0	0.0	0.0
12	12	0.3	0.3	0.3	0.3
13	13	0.0	0,0	0.0	0.0
14	14	0.0	0.0	0.0	0.0
15	15	0.0	0.0	0.0	0.0
16	16	0.4	0.4	0.4	0.4
18	18	0.0	0.0	0.1	0.1
19	19	0.0	0.0	0.0	0.0
20	20	0.1	0.0	0.1	0.1
21	21	0.0	0.0	0.0	0.0
22	22	0,0	0,0	0.0	0.0

15-May-2013 Page 1 of 2