



AAAI Report 1579  
AAAI Project 88018

# QUARTERLY NOISE MONITORING AT HOLLYWOOD BURBANK AIRPORT THIRD QUARTER 2020

NOVEMBER 2020

Prepared for:



## TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
I. INTRODUCTION .....	1
II. NOISE MEASUREMENTS .....	4
A. Sites .....	4
B. Noise Measurement Equipment .....	4
C. Noise Data .....	4
D. Operational Data .....	6
III. MEASURED NOISE DATA .....	6
IV. SCHEDULED AIRLINE AND AIR TAXI OPERATIONS .....	6
V. CNEL CONTOUR DEVELOPMENT .....	6
VI. INCOMPATIBLE LAND USE .....	15
REFERENCES .....	16

APPENDIX A - NOISE MONITOR INSTRUMENTATION

APPENDIX B - CALIBRATION

## LIST OF TABLES

<u>Table</u>	<u>Page</u>
1. CNEL VALUES FOR JULY 2020 .....	7
2. CNEL VALUES FOR AUGUST 2020 .....	8
3. CNEL VALUES FOR SEPTEMBER 2020 .....	9
4. AVERAGE CNEL VALUES .....	10
5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS .....	11

**LIST OF FIGURES**

<b><u>Figure</u></b>	<b><u>Page</u></b>
1. CNEL 70 CONTOUR FOR HOLLYWOOD BURBANK AIRPORT - THIRD QUARTER 2020 .....	2
2. CNEL 65 CONTOUR FOR HOLLYWOOD BURBANK AIRPORT - THIRD QUARTER 2020 .....	3
3. NOISE MONITOR LOCATIONS .....	5

**QUARTERLY NOISE MONITORING AT HOLLYWOOD BURBANK AIRPORT  
THIRD QUARTER 2020**

**I. INTRODUCTION**

In compliance with the California Noise Standards (Reference 1) and the current variance from certain provisions of the Standards (Reference 2), the operator of the Hollywood Burbank Airport is required to perform noise monitoring in the vicinity of the airport for the purpose of establishing a noise impact boundary. The Noise Standards currently specify a community noise equivalent level (CNEL) of 65 dB for the noise impact boundary<sup>1</sup>. The airport is required to provide, each quarter, an updated annual noise impact contour based on measurement data over the four preceding quarters.


A permanent noise monitoring system became operational in April 1980 and, with brief interruption for system expansion, maintenance, and program changes, has been operational since that time. Of the original nine noise monitor sites, eight have remained unchanged since 1980. The monitor at site 8 was removed in 1997 and replaced by a monitor at site 18. Two sites were added east of the airport in late 1980. Four sites were added south of the airport in January 1986 in response to the requirement to determine the 65 dB contour. Three more locations were added in February 1997. Two of these, identified as 16 and 17, are south of the airport, and one, 18, is to the west. These locations were added to permit monitoring closer to the 65 dB contour. The noise monitoring computer at the airport was replaced in August 1995.

The Hollywood Burbank Airport Noise Monitoring System was modernized and augmented in late December 2012 by replacing the noise and flight track matching software, the noise monitoring hardware, and by adding sites 19, 20, 21, and 22 to allow closer monitoring to the current 65 dB CNEL contour. The old site 17 was removed as redundant with site 15, so the updated noise monitoring system contains 20 permanent microphone locations.


This report describes the data acquired by the monitoring system during the third quarter of 2020. Noise impact boundaries for 65 dB and 70 dB are shown based on these measurements and measurements obtained during the fourth quarter of 2019, and the first and second quarter of 2020 reported in References 3, 4 and 5. Figure 1 shows the 70 dB contour and Figure 2 shows the 65 dB contour, based on the measured noise data.

---

<sup>1</sup> Prior to January 1, 1986, a CNEL of 70 dB defined the noise impact boundary.



BURBANK AIRPORT - 70 CNEL CONTOUR for 2nd QUARTER 2020



BURBANK AIRPORT - 70 CNEL CONTOUR for 2nd QUARTER 2020

## II. NOISE MEASUREMENTS

### A. Sites


Aircraft noise levels were monitored at 15 locations prior to February, 1997. Two sites were added in February 1997, and equipment at one site west of the airport was moved to a new location. In July 2003, the monitor station at site 9 was moved 105 feet further west to accommodate new construction at the Fire Station. In December 2012, four new monitor sites were added and one existing site removed as redundant, leaving a total of twenty noise monitoring locations. The noise monitor sites are shown in Figure 3.

### B. Noise Measurement Equipment

Each of the microphone locations uses an identical set of equipment connected to a central control unit. The noise level at each site is stored locally and transmitted by broad band connection to the central site once per 24-hour period. The automated noise and flight track monitoring software processes the data to produce (among other measures) the CNEL at each site. Appendix A provides a brief description of the system.

### C. Noise Data

During this quarter, there were occasional power interruptions and monitor equipment failures, causing some loss of data. Tables 1, 2, and 3 show the aircraft CNEL measured at each monitoring site for each day of the quarter. The dashed lines indicate days for which a monitor was operating for less than 94% of the time. The data for these days was excluded from the averages.



BURBANK AIRPORT - NOISE MONITOR LOCATIONS



**D. Operational Data**

Operations of air carrier, general aviation and rotary-wing aircraft are determined from the Airport ANOMS computerized flight tracking system.

**III. MEASURED NOISE DATA**

Daily CNEL values for the noise monitoring system are listed in Tables 1, 2, and 3. Table 4 lists the average values for each quarter together with the annual average.

**IV. SCHEDULED AIRLINE AND AIR TAXI OPERATIONS**

The air carrier and commuter operations for the quarter are shown in Table 5.

**V. CNEL CONTOUR DEVELOPMENT**

The contours shown in Figures 1 and 2 are based upon computer-generated "master" contours which are adjusted to reflect the monitoring data. Beginning with the first quarter 2009, noise contours are developed using the master contours produced by Version 7.0 of the Integrated Noise Model (INM), a sophisticated aircraft noise modeling program developed for the Federal Aviation Administration. Inputs to the program consist of aircraft types and performance data, flight paths, numbers of operations, and day/evening/night distribution of flights. The program calculates CNEL values at equally spaced grid points and produces CNEL contour lines at 1 dB intervals. The annual average CNEL values at each site were marked at the appropriate locations on the contour map and the locations of the 65 and 70 dB CNEL contours were determined in the vicinity of each measuring point. These points were then joined following the general shape of the computed contours.

The master contours used in developing the contours for this quarter are based on operations for the 12-month period from January 1, 2019 through December 31, 2019. These replaced the previous master set of CNEL Contours which were based on operations for the 12-month period from January 1, 2014 through December 31, 2014.

TABLE 1. CNEL VALUES FOR JULY 2020

RMS NUMBER																					
Date	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	18	19	20	21	22	
07/01/20	58.9	55.9	57.4	52.3	52.3	49.3	53.4	61.8	50.5	50.5	50.1	55.9	53.6	57.0	58.0	61.0	59.8	61.9	63.2	58.2	
07/02/20	59.5	57.8	58.4	50.8	53.1	50.4	53.4	61.3	53.9	50.5	51.1	55.3	55.1	57.0	59.6	60.4	60.4	63.2	64.2	57.8	
07/03/20	57.3	55.2	55.9	50.0	52.0	51.3	54.0	59.9	44.5	45.8	49.2	53.3	53.5	54.9	57.3	59.6	57.9	61.1	61.8	58.8	
07/04/20	56.5	53.9	54.8	51.6	58.4	54.5	59.1	62.5	54.4	50.7	57.0	61.0	51.5	59.8	55.7	62.0	56.8	58.7	59.9	58.2	
07/05/20	56.4	54.1	55.1	48.6	49.4	45.4	53.0	58.1	43.9	43.6	48.6	53.3	52.0	54.9	56.4	57.1	58.3	60.3	61.6	57.9	
07/06/20	57.3	55.7	57.1	50.2	50.8	52.2	53.9	57.2	41.6	42.9	48.7	53.3	53.9	55.1	58.2	56.9	58.6	61.8	62.7	59.8	
07/07/20	59.0	56.5	58.6	54.2	52.7	54.3	54.2	60.8	48.7	53.1	51.6	55.5	54.9	56.4	59.4	60.2	59.3	62.9	63.9	61.7	
07/08/20	59.1	56.6	57.7	55.1	53.1	50.2	53.5	60.8	53.8	52.9	51.4	56.0	54.8	56.3	58.9	59.8	59.4	62.5	63.5	57.4	
07/09/20	58.6	56.3	58.6	52.9	53.0	49.0	52.6	61.1	51.9	48.0	50.4	55.5	54.8	57.2	59.3	59.6	60.6	62.6	64.4	57.6	
07/10/20	57.8	56.2	56.2	49.2	51.5	47.4	52.5	60.2	50.2	52.4	51.0	53.7	54.0	54.4	58.9	59.9	58.5	62.1	63.0	57.8	
07/11/20	56.6	53.4	55.4	51.0	51.1	48.1	49.7	56.3	47.2	47.5	48.4	52.2	50.9	54.8	56.2	55.4	57.7	60.0	61.7	56.5	
07/12/20	58.0	54.1	55.0	50.9	50.1	49.1	55.2	57.9	50.3	41.3	48.6	53.6	51.5	54.6	56.4	57.4	57.7	60.6	61.4	61.1	
07/13/20	59.8	56.9	58.1	55.7	52.5	48.7	51.3	58.7	48.6	48.6	50.6	55.8	55.3	56.4	59.2	58.3	60.2	62.9	63.7	55.4	
07/14/20	58.4	56.2	57.4	52.7	51.9	52.5	54.2	61.3	48.5	47.6	50.5	55.7	54.3	57.4	58.3	60.2	59.4	61.9	62.9	60.0	
07/15/20	58.7	56.2	57.7	51.0	52.1	53.7	54.1	60.8	49.2	45.7	50.9	54.9	54.2	56.5	58.5	60.3	60.2	62.2	63.2	59.7	
07/16/20	58.5	56.3	57.7	51.0	51.9	49.9	54.4	60.6	55.0	46.5	50.2	54.6	56.3	56.4	58.7	60.1	59.4	61.9	62.9	58.9	
07/17/20	58.4	55.7	55.7	51.5	50.6	51.0	53.2	60.4	54.5	50.9	50.6	55.1	53.5	56.0	57.4	59.4	58.8	61.3	62.4	57.9	
07/18/20	57.2	54.0	54.5	51.9	51.7	51.1	51.1	57.0	49.2	50.2	48.5	53.5	51.9	54.7	56.1	56.9	57.5	59.8	61.1	59.5	
07/19/20	57.0	54.2	55.7	49.5	49.5	50.4	54.8	57.6	45.5	45.0	50.0	53.3	52.2	54.8	56.5	57.5	58.3	60.3	61.4	60.2	
07/20/20	58.0	55.2	56.6	53.7	54.4	55.6	57.6	58.7	50.4	54.7	48.8	54.4	55.2	56.2	57.7	57.7	59.3	61.3	62.6	62.7	
07/21/20	59.7	57.2	58.5	55.9	53.4	54.5	55.7	61.1	52.5	48.8	53.3	56.9	55.1	56.2	59.4	60.8	59.5	62.9	63.7	62.3	
07/22/20	62.0	57.9	59.5	55.4	54.7	54.5	55.7	61.5	52.5	50.8	54.9	58.2	55.9	58.7	60.3	60.3	61.6	64.2	65.3	61.7	
07/23/20	59.9	57.2	58.3	54.3	54.8	55.5	54.9	61.4	51.1	46.3	51.6	56.2	55.4	57.9	59.8	60.2	60.3	63.1	64.0	62.2	
07/24/20	59.2	56.9	58.3	52.0	54.4	53.8	54.4	61.5	47.7	46.9	51.1	56.9	55.8	57.0	59.8	60.3	60.4	63.0	64.0	61.1	
07/25/20	57.8	54.7	55.4	52.2	56.5	52.3	52.2	58.4	48.4	44.4	50.6	55.2	52.0	55.6	56.2	57.5	58.2	60.5	61.6	60.4	
07/26/20	57.2	54.6	55.8	52.2	49.4	49.7	56.0	57.5	47.4	40.5	49.2	53.2	52.5	55.0	57.0	57.1	58.1	60.8	62.0	59.2	
07/27/20	58.9	56.2	57.4	56.9	53.3	54.0	54.9	58.8	48.1	49.3	50.8	54.6	54.5	56.5	58.3	57.7	59.4	61.9	62.8	62.7	
07/28/20	59.3	55.7	57.2	55.9	52.9	55.9	54.9	61.2	49.1	48.4	50.8	56.0	54.0	56.3	58.0	60.1	59.4	61.9	63.0	60.0	
07/29/20	58.5	56.3	58.3	52.5	50.5	54.4	53.5	60.3	46.0	49.6	50.3	55.2	54.7	55.4	59.0	60.0	58.9	62.2	63.0	60.5	
07/30/20	57.9	56.4	57.7	52.3	50.1	51.4	54.7	60.1	54.3	52.6	50.6	54.2	55.2	55.6	59.0	59.0	59.3	62.5	63.4	60.4	
07/31/20	57.7	55.3	55.9	57.5	53.7	54.4	56.0	59.2	47.0	49.2	50.7	52.6	52.8	54.5	57.7	58.4	58.5	62.2	62.7	63.3	
AVERAGE	58.5	55.9	57.2	53.2	53.0	52.5	54.5	60.1	50.7	49.5	51.1	55.4	54.1	56.3	58.3	59.3	59.2	61.9	62.9	60.1	
NO. DAYS	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	

TABLE 2. CNEL VALUES FOR AUGUST 2020

## RMS NUMBER

Date/Time	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	18	19	20	21	22
08/01/20	58.1	55.7	55.1	53.7	54.1	44.4	50.4	58.1	48.8	47.8	49.1	54.1	51.8	54.6	56.6	57.4	58.0	60.6	61.5	52.9
08/02/20	56.2	53.5	55.1	52.4	52.7	48.3	50.5	58.4	41.1	40.9	47.1	54.3	51.2	55.2	56.3	57.8	58.3	60.1	61.5	58.7
08/03/20	58.6	55.4	57.2	53.2	52.8	53.5	56.7	59.4	48.3	48.8	50.5	54.9	53.9	56.7	58.1	58.3	59.2	61.7	62.9	60.9
08/04/20	59.4	56.2	57.1	50.6	52.1	50.8	56.2	60.9	47.3	48.2	49.8	56.0	53.9	56.5	58.2	60.7	59.6	62.3	63.3	63.6
08/05/20	61.5	61.5	62.1	58.4	55.7	52.8	56.1	60.7	55.7	49.3	50.8	56.8	62.6	57.9	67.1	60.7	61.4	68.9	68.0	60.3
08/06/20	60.6	59.4	61.2	53.0	54.0	50.8	53.8	61.3	50.7	50.4	52.3	56.5	57.6	58.3	61.9	60.6	61.7	65.0	65.9	57.9
08/07/20	59.1	56.0	57.2	51.8	53.2	51.0	54.1	60.6	52.6	49.1	52.0	55.4	53.8	56.8	58.4	59.9	60.1	62.0	63.5	58.2
08/08/20	58.4	54.6	55.8	47.7	50.1	48.0	47.5	57.2	50.8	45.9	50.3	55.0	52.8	55.4	56.7	56.3	58.3	60.7	61.9	51.1
08/09/20	58.9	55.6	56.8	51.5	50.3	48.1	54.1	57.8	48.0	45.7	50.1	54.8	53.4	56.0	58.3	57.3	59.0	61.7	63.1	58.9
08/10/20	59.4	56.2	57.7	53.6	50.4	51.0	54.7	57.2	48.0	49.8	51.4	55.7	54.4	56.6	58.6	56.2	60.2	62.3	63.6	58.8
08/11/20	57.8	56.2	57.6	52.9	51.2	55.7	55.7	60.0	46.1	52.0	51.0	54.6	54.2	55.7	58.4	59.3	59.0	61.9	62.7	60.8
08/12/20	57.0	54.8	56.2	52.4	52.0	53.6	52.8	58.9	50.5	48.5	49.1	51.8	52.7	53.9	57.4	57.8	57.7	60.9	61.7	57.2
08/13/20	58.0	56.4	58.5	53.4	52.5	48.7	51.7	60.1	54.8	53.4	48.8	53.5	55.3	56.1	61.2	59.4	59.5	63.4	64.9	57.3
08/14/20	56.0	54.6	56.6	48.1	49.0	49.0	53.7	59.7	45.5	46.5	49.0	51.2	53.4	53.9	57.6	58.4	57.3	60.9	61.9	57.9
08/15/20	54.4	52.9	54.3	49.2	52.2	45.5	45.1	55.5	48.7	45.8	46.5	50.2	51.4	53.6	56.4	54.5	56.5	59.8	61.0	55.7
08/16/20	55.7	51.2	50.1	47.3	50.3	45.3	51.7	56.1	39.9	37.2	46.1	50.4	49.5	53.0	55.5	55.8	57.2	58.2	60.3	57.0
08/17/20	56.3	55.0	57.0	49.6	48.8	43.8	51.9	56.8	50.1	47.0	48.4	50.1	53.0	53.4	57.5	55.6	55.9	60.9	60.9	57.2
08/18/20	57.6	55.8	57.2	54.9	51.9	49.5	50.8	60.6	48.7	45.1	49.9	54.3	54.1	55.3	58.5	60.2	58.8	61.9	63.1	56.4
08/19/20	57.3	55.8	57.2	52.7	51.4	49.9	49.9	60.1	47.7	48.5	49.3	52.5	54.1	54.6	58.6	59.4	58.2	61.9	62.8	54.7
08/20/20	59.2	58.1	60.4	53.5	50.7	45.6	50.4	60.7	51.8	49.3	51.1	54.1	56.7	56.5	62.3	59.7	60.0	64.2	65.1	51.5
08/21/20	56.6	55.3	56.7	50.4	51.7	48.6	51.7	60.0	46.8	50.8	50.1	52.9	54.0	55.7	58.0	59.3	58.9	61.6	62.8	55.5
08/22/20	56.0	54.9	56.1	50.4	50.1	49.0	53.2	56.8	46.0	44.8	50.2	52.1	52.8	53.0	57.8	55.9	57.0	61.8	62.8	59.7
08/23/20	55.0	53.9	55.5	45.0	49.7	46.4	49.5	56.7	44.0	44.7	46.6	50.9	51.7	54.6	56.7	56.4	57.2	60.4	61.4	55.3
08/24/20	58.3	56.6	59.0	52.9	53.6	51.7	58.1	57.9	49.7	49.7	49.2	54.2	55.1	56.1	60.3	57.7	59.8	63.2	64.2	61.5
08/25/20	58.0	56.7	58.1	52.7	51.7	51.6	55.0	60.0	48.0	48.6	49.4	53.8	54.9	55.6	59.0	61.4	59.3	62.5	63.2	60.3
08/26/20	57.9	55.9	58.0	53.7	51.7	52.8	50.8	59.3	45.2	49.2	49.3	52.7	54.7	55.4	59.6	59.4	59.0	62.1	63.2	56.5
08/27/20	59.4	57.9	60.3	55.7	53.8	53.5	56.2	59.3	49.7	47.4	51.6	54.1	56.6	56.4	60.9	59.1	60.1	63.9	64.8	58.9
08/28/20	57.4	55.3	56.8	52.9	52.0	50.9	54.4	59.8	45.8	48.4	49.3	56.7	53.2	55.7	58.0	60.0	59.5	61.3	62.8	58.4
08/29/20	56.2	53.2	54.8	50.5	50.6	51.0	48.7	56.3	45.0	41.1	47.9	52.1	51.7	54.6	56.0	56.6	57.6	59.6	60.8	53.6
08/30/20	56.9	54.1	55.7	49.4	51.0	46.0	53.9	58.7	46.5	46.3	50.7	53.7	52.2	55.0	56.7	57.9	58.2	60.4	61.9	57.4
08/31/20	57.6	55.0	56.8	52.4	51.9	48.8	51.3	57.8	46.6	44.7	49.2	54.2	53.3	55.6	57.8	57.6	58.6	61.2	62.4	57
AVERAGE	58.0	56.1	57.6	52.6	52.0	50.5	53.5	59.1	49.3	48.3	49.8	54.0	54.7	55.6	59.4	58.6	58.9	62.4	63.2	58.3
NO. DAYS	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31

TABLE 3. CNEL VALUES FOR SEPTEMBER 2020

## RMS NUMBER

Date	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	18	19	20	21	22
09/01/20	59.6	57.3	58.3	52.9	51.9	50.7	53.9	59.8	47.5	48.3	52.1	56.3	55.2	56.4	59.4	59.4	59.9	62.8	63.7	58.5
09/02/20	58.4	56.4	57.8	55.9	51.9	53.9	56.3	59.8	47.7	47.2	50.6	53.8	54.5	55.6	58.7	59.4	59.1	62.0	63.0	60.4
09/03/20	60.0	59.3	61.3	54.4	51.6	50.4	49.1	60.6	49.6	49.6	52.0	54.4	57.7	57.1	62.1	60.0	60.8	64.9	65.7	56.8
09/04/20	59.0	58.0	59.6	52.5	51.7	49.4	51.9	59.6	48.2	50.1	50.9	53.3	57.0	56.1	60.7	58.9	59.4	63.8	64.4	55.0
09/05/20	53.6	52.9	55.2	46.9	49.0	51.1	51.9	54.0	43.1	45.5	47.1	47.9	50.9	51.1	57.1	52.2	55.1	59.7	60.2	55.3
09/06/20	54.3	51.7	53.1	53.6	54.6	52.0	51.4	53.6	52.5	46.4	46.6	53.3	49.8	52.7	56.1	52.2	56.7	58.9	60.9	56.0
09/07/20	55.6	54.4	55.8	53.4	51.1	50.0	46.9	58.0	51.1	45.2	46.9	51.0	52.4	54.1	56.9	57.0	57.4	60.7	62.0	50.8
09/08/20	58.0	56.4	58.1	50.1	51.7	48.8	53.8	59.1	49.4	49.1	49.0	53.2	55.4	55.7	59.1	58.2	58.6	62.5	63.2	57.4
09/09/20	57.4	56.2	57.6	54.1	55.1	54.0	52.5	60.1	49.2	48.4	51.2	53.5	54.4	54.7	59.0	59.3	58.5	62.4	63.2	55.6
09/10/20	58.8	56.1	57.3	48.2	51.0	49.0	53.5	60.7	50.1	53.0	52.9	52.6	54.5	55.1	58.9	59.4	58.4	62.4	62.9	53.6
09/11/20	57.1	55.0	56.6	52.0	56.5	53.5	54.5	58.8	49.1	48.0	51.3	53.0	53.3	54.9	58.0	58.1	58.0	61.4	62.2	57.2
09/12/20	57.0	54.6	56.6	47.0	51.7	43.3	47.0	55.9	50.0	48.9	49.5	51.4	53.9	53.5	59.6	54.8	56.8	61.1	61.3	44.1
09/13/20	55.9	53.7	55.3	53.2	54.2	49.9	52.1	56.7	41.3	40.2	47.8	52.4	51.7	54.5	56.4	55.7	57.6	60.1	61.3	58.9
09/14/20	58.4	56.8	58.6	53.1	52.1	49.6	51.9	57.4	44.7	46.1	50.9	53.0	56.2	55.3	61.9	56.2	59.3	63.8	65.2	57.8
09/15/20	58.3	57.6	59.3	49.9	52.5	49.1	49.4	59.7	47.6	45.5	50.7	54.1	55.8	56.4	60.7	59.0	60.4	64.0	64.9	51.5
09/16/20	57.4	57.0	59.2	54.2	56.6	58.0	55.4	57.1	49.0	51.8	50.2	50.6	55.6	53.4	60.5	56.4	57.1	63.2	63.2	60.0
09/17/20	56.4	54.5	56.2	51.9	57.1	51.6	51.6	58.7	49.7	50.5	50.1	52.1	52.6	53.6	57.4	58.2	57.6	61.2	61.9	61.8
09/18/20	56.0	54.5	55.8	50.7	54.0	49.0	50.9	58.7	45.3	46.9	50.1	51.9	52.5	54.0	57.6	57.5	57.9	60.9	62.0	55.9
09/19/20	56.5	54.3	54.9	50.7	51.6	50.3	51.3	55.4	46.7	45.5	50.5	52.4	51.7	54.1	56.3	54.9	57.5	60.6	61.5	58.2
09/20/20	56.6	54.1	55.4	51.1	51.6	48.9	47.0	58.9	47.9	47.5	47.7	53.4	52.4	54.7	56.5	57.9	58.1	60.3	61.7	54.6
09/21/20	57.3	55.9	56.3	47.9	51.0	45.1	50.4	57.7	45.7	47.1	49.0	52.7	53.1	55.1	57.8	57.4	58.8	61.6	62.8	54.1
09/22/20	59.6	58.3	59.8	54.2	52.6	52.3	50.2	59.6	48.0	50.1	52.0	55.0	56.2	56.5	61.0	59.2	59.9	64.1	65.0	56.3
09/23/20	58.6	57.0	58.4	51.7	53.2	54.1	50.8	59.3	52.9	51.6	50.8	53.6	55.1	56.6	59.7	58.5	60.3	63.3	64.4	59.7
09/24/20	59.4	58.7	60.2	58.4	56.5	53.1	55.0	60.0	52.2	50.2	52.0	55.5	56.6	57.4	61.6	58.9	61.3	64.6	65.6	55.7
09/25/20	57.9	55.8	56.9	52.5	52.7	50.8	50.9	59.6	46.4	47.9	50.6	53.0	54.1	55.5	58.3	58.6	58.5	61.8	62.9	57.5
09/26/20	56.4	54.1	55.3	54.9	48.9	50.9	53.0	56.5	46.4	45.2	49.6	52.7	51.4	54.6	56.1	56.1	57.4	60.0	61.5	57.7
09/27/20	56.1	54.4	55.9	56.5	50.8	50.5	48.1	59.2	46.1	41.0	47.4	52.5	52.6	54.7	57.1	57.6	58.0	60.6	62.1	54.5
09/28/20	57.2	55.7	56.2	56.5	48.3	48.8	50.8	57.3	47.0	45.9	51.2	52.7	53.1	54.8	57.9	58.0	58.7	61.6	63.1	57.3
09/29/20	57.6	56.1	57.3	57.4	61.2	51.2	49.5	59.1	51.1	54.0	51.0	53.9	55.3	54.0	58.8	58.3	57.6	62.5	62.4	53.2
09/30/20	58.8	58.5	59.8	58.8	56.3	57.3	53.4	57.8	52.0	51.2	52.3	51.4	57.3	53.5	61.9	56.8	58.3	64.5	64.6	59.7
AVERAGE	57.7	56.2	57.7	53.9	54.0	51.9	52.1	58.6	49.0	48.9	50.4	53.1	54.5	55.1	59.2	57.8	58.6	62.3	63.2	57.2
NO. DAYS	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30	30

**TABLE 4. AVERAGE CNEL VALUES**

Site No.	4th Quarter 2019	1st Quarter 2020	2nd Quarter 2020	3rd Quarter 2020	4 Quarter Average
1	62.3	61.5	57.6	58.0	60.4
2	60.2	-----	55.0	56.0	57.2
3	61.7	60.6	56.0	57.5	59.5
4	59.2	58.0	54.1	53.2	56.9
5	59.3	58.4	52.8	53.0	56.8
6	57.8	57.0	52.7	51.7	55.6
7	56.5	55.8	53.2	53.5	55.0
9	62.4	62.0	58.4	59.3	60.9
10	53.4	52.9	50.3	49.7	51.9
11	52.7	52.1	49.4	48.9	50.7
12	55.0	54.4	50.3	50.5	53.1
13	57.6	57.9	54.0	54.3	56.3
14	58.2	59.1	53.5	54.4	56.9
15	60.0	59.5	54.7	55.7	58.1
16	63.2	61.9	57.3	58.9	60.9
18	61.7	61.3	57.9	58.6	60.2
19	63.1	62.4	57.8	58.9	61.1
20	66.3	65.0	60.7	62.2	64.1
21	67.5	66.2	61.6	63.1	65.2
22	61.4	60.2	58.6	58.7	59.9

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI  
FLIGHTS FOR THE THIRD QUARTER 2020

AIRCRAFT	SCHEDULE IN EFFECT FROM 7/1/2020 to 7/31/2020 31 DAYS									
	AS EMB175	AS B7377		AS A319		AS B7378		AS B7379		
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	90	60	0	0	0	0	0	0	1	1
EVENING	1	31	0	0	0	0	0	0	0	0
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	91	91	0	0	0	0	0	0	1	1

	SCHEDULE IN EFFECT FROM 7/1/2020 to 7/31/2020									
	AS A320	AS A21N		US CRJ9		AA CRJ2		AA B7378		
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	25	25	0	0	31	6
EVENING	0	0	0	0	0	0	0	0	0	25
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	0	25	25	0	0	31	31

	SCHEDULE IN EFFECT FROM 7/1/2020 to 7/31/2020									
	AA CRJ7	WN B38M		WN B7377		WN B7378		UA A320		
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	6	6	0	0	875	698	79	48	0	0
EVENING	0	0	0	0	9	186	0	31	0	0
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	6	6	0	0	884	884	79	79	0	0

	SCHEDULE IN EFFECT FROM 7/1/2020 to 7/31/2020									
	UA A319	UA B7378		UA EMB175		UA RJ		UA CRJ7		
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	27	27	53	22	5	5
EVENING	0	0	0	0	0	0	0	31	0	0
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	0	27	27	53	53	5	5

	SCHEDULE IN EFFECT FROM 7/1/2020 to 7/31/2020									
	FE A300	UPS B757		UPS A300		DL E175		DL A319		
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	9	30	0	0	15	19	0	0	0	0
EVENING	40	0	0	0	23	0	0	0	0	0
NIGHT	0	19	0	0	0	19	0	0	0	0
TOTAL	49	49	0	0	38	38	0	0	0	0

	SCHEDULE IN EFFECT FROM 7/1/2020 to 7/31/2020									
	DL CRJ7	DL B7377		DL B738		B6 A320		C208		
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	0	0	0	0	0	0
EVENING	0	0	0	0	0	0	0	0	0	0
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0	0	0	0

	SCHEDULE IN EFFECT FROM 7/1/2020 to 7/31/2020									
	NKS A319	B6 A321		B6 A21N		NKS A320		NKS A21N		
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	0	0	21	21	0	0
EVENING	0	0	0	0	0	0	0	0	0	0
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	21	21	0	0

TOTALS									
DEP									ARR
1214									920
10									304
0									0
1224									1224

**Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI  
FLIGHTS FOR THE THIRD QUARTER 2020**

AIRCRAFT	SCHEDULE IN EFFECT FROM		8/1/2020		to		8/31/2020		31 DAYS	
	AS EMB175	AS B7377	AS B7377	AS A319	AS A319	AS B7378	AS B7378	AS B7379	AS B7379	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	128	121	0	0	0	0	0	0	0	0
EVENING	26	33	0	0	0	0	0	0	0	0
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	154	154	0	0	0	0	0	0	0	0

	SCHEDULE IN EFFECT FROM		8/1/2020		to		8/31/2020		AA B7378	
	AS A320	AS A21N	AS A21N	US CRJ9	US CRJ9	AA CRJ2	AA CRJ2	AA B7378	AA B7378	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	27	25	0	0	31	0
EVENING	0	0	0	0	3	5	0	0	0	31
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	0	30	30	0	0	31	31

	SCHEDULE IN EFFECT FROM		8/1/2020		to		8/31/2020		UA A320	
	AA CRJ7	WN B38M	WN B38M	WN B7377	WN B7377	WN B7378	WN B7378	UA A320	UA A320	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	16	16	0	0	788	634	50	40	0	0
EVENING	0	0	0	0	27	174	0	10	0	0
NIGHT	0	0	0	0	0	7	0	0	0	0
TOTAL	16	16	0	0	815	815	50	50	0	0

	SCHEDULE IN EFFECT FROM		8/1/2020		to		8/31/2020		UA CRJ7	
	UA A319	UA B7378	UA B7378	UA EMB175	UA EMB175	UA RJ	UA RJ	UA CRJ7	UA CRJ7	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	3	3	70	45	0	0
EVENING	0	0	0	0	0	0	0	31	0	0
NIGHT	0	0	0	0	0	0	6	0	0	0
TOTAL	0	0	0	0	3	3	76	76	0	0

	SCHEDULE IN EFFECT FROM		8/1/2020		to		8/31/2020		DL A319	
	FE A300	UPS B757	UPS B757	UPS A300	UPS A300	DL E175	DL E175	DL A319	DL A319	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	4	26	0	0	9	16	0	0	0	0
EVENING	38	0	0	0	21	1	0	0	0	0
NIGHT	0	16	0	0	3	16	0	0	0	0
TOTAL	42	42	0	0	33	33	0	0	0	0

	SCHEDULE IN EFFECT FROM		8/1/2020		to		8/31/2020		C208	
	DL CRJ7	DL B7377	DL B7377	DL B738	DL B738	B6 A320	B6 A320	C208	C208	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	0	0	0	0	0	0
EVENING	0	0	0	0	0	0	0	0	0	0
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	0	0	0	0

	SCHEDULE IN EFFECT FROM		8/1/2020		to		8/31/2020		NKS A21N	
	NKS A319	B6 A321	B6 A321	B6 A21N	B6 A21N	NKS A320	NKS A320	NKS A21N	NKS A21N	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	0	0	18	18	0	0
EVENING	0	0	0	0	0	0	0	0	1	1
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	18	18	1	1

TOTALS										
DEP									ARR	
1132									903	
57									285	
6									7	
1195									1195	

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE THIRD QUARTER 2020

AIRCRAFT	SCHEDULE IN EFFECT FROM				9/1/2020 to		9/30/2020		30 DAYS	
	AS EMB175	AS B7377		AS A319	AS A319	AS B7378	AS B7378	AS B7379	AS B7379	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	116	89	0	0	0	0	0	0	0	0
EVENING	3	30	0	0	0	0	0	0	0	0
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	119	119	0	0	0	0	0	0	0	0

	SCHEDULE IN EFFECT FROM				9/1/2020 to		9/30/2020		AA B7378	
	AS A320	AS A21N		US CRJ9	US CRJ9	AA CRJ2	AA CRJ2	AA CRJ2	AA CRJ2	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	57	34	0	0	30	0
EVENING	0	0	0	0	0	24	0	0	0	30
NIGHT	0	0	0	0	1	0	0	0	0	0
TOTAL	0	0	0	0	58	58	0	0	30	30

	SCHEDULE IN EFFECT FROM				9/1/2020 to		9/30/2020		UA A320	
	AA CRJ7	WN B38M		WN B7377	WN B7377	WN B7378	WN B7378	UA A320	UA A320	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	1	1	0	0	475	326	193	146	0	0
EVENING	0	0	0	0	7	155	0	47	0	0
NIGHT	0	0	0	0	0	1	0	0	0	0
TOTAL	1	1	0	0	482	482	193	193	0	0

	SCHEDULE IN EFFECT FROM				9/1/2020 to		9/30/2020		UA CRJ7	
	UA A319	UA B7378		UA EMB175	UA EMB175	UA RJ	UA RJ	UA CRJ7	UA CRJ7	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	27	0	32	32	0	0
EVENING	0	0	0	0	0	26	0	1	0	0
NIGHT	0	0	0	0	0	0	1	0	0	0
TOTAL	0	0	0	0	27	26	33	33	0	0

	SCHEDULE IN EFFECT FROM				9/1/2020 to		9/30/2020		DL A319	
	FE A300	UPS B757		UPS A300	UPS A300	DL E175	DL E175	DL A319	DL A319	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	5	27	0	0	10	19	0	0	32	32
EVENING	36	0	0	0	18	0	0	0	0	0
NIGHT	0	16	0	0	9	18	0	0	0	0
TOTAL	41	43	0	0	37	37	0	0	32	32

	SCHEDULE IN EFFECT FROM				9/1/2020 to		9/30/2020		C208	
	DL CRJ7	DL B7377		DL B738	DL B738	B6 A320	B6 A320	C208	C208	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	0	0	2	2	2	0
EVENING	0	0	0	0	0	0	0	0	0	0
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	0	0	0	0	0	0	2	2	2	0

	SCHEDULE IN EFFECT FROM				9/1/2020 to		9/30/2020		NKS A21N	
	NKS A319	B6 A321		B6 A21N	B6 A21N	NKS A320	NKS A320	NKS A21N	NKS A21N	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	2	2	0	0	0	0	14	14	0	0
EVENING	0	0	0	0	0	0	0	0	0	0
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	2	2	0	0	0	0	14	14	0	0

TOTALS										
DEP										ARR
952										647
10										313
2										1
964										961



Table 5. (continued)

PERIOD TOTALS FOR  
AIR CARRIERS AND COMMUTERS

## AIR CARRIERS

	<u>DEP</u>	<u>ARR</u>
DAY	14275	10771
EVE	1111	3680
NIGHT	56	491
TOTAL	15192	15192

## COMMUTERS

	<u>DEP</u>	<u>ARR</u>
DAY	806	558
EVE	0	279
NIGHT	31	0
TOTAL	837	837

## AIR CARRIERS AND COMMUTERS

	<u>DEP</u>	<u>ARR</u>
DAY	14831	11579
EVE	1111	3959
NIGHT	87	491
TOTAL	16029	16029

## VI. INCOMPATIBLE LAND USE

The contours shown in Figures 1 and 2 were digitized and overlaid on a digital land use map of the area around the Airport. The total areas enclosed by the 65 and 70 dB CNEL contours were 439.9 and 234.2 acres, respectively. The areas of incompatible land uses enclosed by the contours were then computed. The incompatible land use areas were 2.81 acres within the 65 dB contour of which 0 acres were also within the 70 dB contour.

It should be noted that the above incompatible land areas do not include the soundproofed schools in the vicinity of the Airport (the Luther Burbank Middle School, St. Patrick and Glenwood Schools). The above incompatible land use areas also do not include those residences to which the Airport has acquired avigation easements. Within the 65 dB contour, the Airport has acquired avigation easements, through its ongoing residential sound insulation program, to 175 parcels of land. Those 175 parcels total 25.42 acres. None of the 175 parcels are also located within the 70 dB contour. The Airport has acquired avigation easement to a number of parcels under California law pursuant to the Baker v. Burbank-Glendale-Pasadena Airport Authority line of legal decisions. It should be noted that only 7 parcels, however, totaling 0.89 acres, remain within the Airport's 65 dB CNEL contour. The Airport has a "Baker" easement for the 7 parcels but has not yet also obtained an easement in return for the parcels' participation in the Airport's sound insulation program.

It should be noted that the Airport Authority has made repeated attempts over the past several years to acoustically treat and obtain avigation easements at 19 single family residential parcels, totaling approximately 2.81 acres of the incompatible land use area within the 65 dB contour. Owners of these parcels have either refused to respond to notices regarding the sound insulation program, have withdrawn from the program, or own properties with major building code deficiencies that prevent them from participating.

The estimated numbers of incompatible residences are 49 within the 65 dB contour, of which 0 are also within the 70 dB contour. The estimated numbers of people residing within the 65 and 70 dB CNEL contours are 132 and 0, respectively.

## REFERENCES

1. California Department of Transportation, Division of Aeronautics, "Noise Standards", California Code of Regulations, Title 21, Chapter 2.5, Subchapter 6.
2. L-30488, Department of Transportation, State of California, 27 June 1984.
3. "Quarterly Noise Monitoring at Hollywood Burbank Airport, Third Quarter 2019", AAAI Report 1552.
4. "Quarterly Noise Monitoring at Hollywood Burbank Airport, Fourth Quarter 2019", AAAI Report 1553.
5. "Quarterly Noise Monitoring at Hollywood Burbank Airport, First Quarter 2020", AAAI Report 1557.

**APPENDIX A**  
**NOISE MONITOR INSTRUMENTATION**


## **APPENDIX A**

### **NOISE MONITOR INSTRUMENTATION**

The permanent noise monitor system, manufactured by Bruel & Kjaer, consists of 20 noise monitoring terminals (NMT) connected to a central site by DSL or wireless connections. The system block diagram showing the major elements is shown in Figure A-1. The electrical signal generated by the microphone/preamplifier assembly at each site is processed and saved locally in the B & K sound level meter. The signal is passed through an A-weighting filter and is then detected and converted to a digital level signal in decibels with a resolution of 0.1 dB.

The stored sound level data at each site is dumped once every 24-hour period via wireless or DSL connection to the central site. The data received by the central site are processed by the ANOMS computer software. According to preset parameters, the noise is separated into two categories--aircraft noise and community noise. Each event attributed to an aircraft is saved in a noise event file. Computations are made of hourly noise level, community noise equivalent level, runway use, and other parameters. A wide variety of data presentations is available by exercising a number of routines provided by B & K, as well as special-purpose routines that can be generated by the user.

The locations of the remote sites (shown in Figure 3) are listed by latitude and longitude in Table A-1.



**Figure A-1. Permanent Noise Monitor System Schematic**

**TABLE A-1**  
**NOISE MONITOR SITE LOCATIONS**

<b>NMT</b>	<b>Latitude</b>	<b>Longitude</b>
1	34.188424	-118.358983
2	34.184296	-118.347330
3	34.175731	-118.354197
4	34.212022	-118.364391
5	34.215261	-118.357381
6	34.220705	-118.365214
7	34.224979	-118.363989
9	34.198871	-118.398889
10	34.195336	-118.342392
11	34.197321	-118.340376
12	34.190175	-118.365404
13	34.181303	-118.345270
14	34.178786	-118.347134
15	34.173922	-118.363157
16	34.181185	-118.350949
18	34.196899	-118.389014
19	34.181277	-118.357866
20	34.188378	-118.351878
21	34.186700	-118.354939
22	34.217035	-118.361725

**APPENDIX B  
CALIBRATION**



## **APPENDIX B CALIBRATION**

The system was calibrated during setup using a Bruel and Kjaer acoustic calibrator. Acoustic calibrations are performed annually. Electrical calibrations are performed automatically four times per 24-hour day. Figure B-1 shows the calibration summary for January 2013 and Figure B-2 shows the detailed electrical calibration report for Noise Monitor Site 1.



## Devices Report

### RMT Calibration Results

Bob Hope Airport

Start Date: 04-Jan-2013

End Date: 31-Jan-2013

Monitor Location: 1 - 1, (Fixed)

Seven Day Period Commencing: Friday January 04, 2013

Calibrated with Sound Calibrator : Never

Number of Calibrations: 27

Average adjustment for this RMT over this period: 0.10 dB

Date Time	Expected Result	Value Measured	Calibration Error
04-Jan-2013 0:00	87.1	87.2	0.1
04-Jan-2013 6:00	87.1	87.2	0.1
04-Jan-2013 12:00	87.1	87.2	0.1
04-Jan-2013 18:00	87.1	87.2	0.1
05-Jan-2013 0:00	87.1	87.2	0.1
05-Jan-2013 6:00	87.1	87.2	0.1
05-Jan-2013 12:00	87.1	87.2	0.1
05-Jan-2013 18:00	87.1	87.2	0.1
06-Jan-2013 0:00	87.1	87.2	0.1
06-Jan-2013 6:00	87.1	87.2	0.1
06-Jan-2013 12:00	87.1	87.2	0.1
06-Jan-2013 18:00	87.1	87.2	0.1
07-Jan-2013 0:00	87.1	87.2	0.1
07-Jan-2013 6:00	87.1	87.2	0.1
07-Jan-2013 12:00	87.1	87.2	0.1
07-Jan-2013 18:00	87.1	87.2	0.1
08-Jan-2013 0:00	87.1	87.2	0.1
08-Jan-2013 6:00	87.1	87.2	0.1
08-Jan-2013 12:00	87.1	87.3	0.2
08-Jan-2013 18:00	87.1	87.2	0.1
09-Jan-2013 0:00	87.1	87.2	0.1
09-Jan-2013 6:00	87.1	87.2	0.1
09-Jan-2013 12:00	87.1	87.2	0.1
09-Jan-2013 18:00	87.1	87.2	0.1
10-Jan-2013 0:00	87.1	87.2	0.1
10-Jan-2013 6:00	87.1	87.2	0.1
10-Jan-2013 12:00	87.1	87.2	0.1



## Devices Report

### RMT Calibration Results

Bob Hope Airport

Start Date: 04-Jan-2013

End Date: 31-Jan-2013

Monitor Location		04-Jan-2013	11-Jan-2013	18-Jan-2013	25-Jan-2013
1	1	0.1	0.1	0.1	0.1
2	2	0.4	0.4	0.3	0.3
3	3	0.5	0.0	0.0	0.0
4	4	0.3	0.3	0.3	0.3
5	#5	0.2	0.2	0.2	0.2
6	6	0.0	0.0	0.0	0.0
7	7	0.3	0.3	0.3	0.3
9	9	0.2	0.2	0.2	0.2
10	10	0.2	0.2	0.2	0.2
11	11	0.6	0.0	0.0	0.0
12	12	0.3	0.3	0.3	0.3
13	13	0.0	0.0	0.0	0.0
14	14	0.0	0.0	0.0	0.0
15	15	0.0	0.0	0.0	0.0
16	16	0.4	0.4	0.4	0.4
18	18	0.0	0.0	0.1	0.1
19	19	0.0	0.0	0.0	0.0
20	20	0.1	0.0	0.1	0.1
21	21	0.0	0.0	0.0	0.0
22	22	0.0	0.0	0.0	0.0