

QUARTERLY NOISE MONITORING AT HOLLYWOOD BURBANK AIRPORT THIRD QUARTER 2021

NOVEMBER 2021

Prepared for:



TABLE OF CONTENTS

Section	<u>Pa</u>	ge
l.	NTRODUCTION	1
II.	NOISE MEASUREMENTS A. Sites B. Noise Measurement Equipment C. Noise Data D. Operational Data	4 4 4
III.	MEASURED NOISE DATA	6
IV.	SCHEDULED AIRLINE AND AIR TAXI OPERATIONS	6
V.	CNEL CONTOUR DEVELOPMENT	6
VI.	INCOMPATIBLE LAND USE	15
REFE	ENCES	16
APPE	DIX A - NOISE MONITOR INSTRUMENTATION	
APPE	DIX B - CALIBRATION	

LIST OF TABLES

<u>Table</u>	<u>P</u> :	age
1.	CNEL VALUES FOR JULY 2021	7
2.	CNEL VALUES FOR AUGUST 2021	8
3.	CNEL VALUES FOR SEPTEMBER 2021	9
4.	AVERAGE CNEL VALUES	10
5.	WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS	11

LIST OF FIGURES

<u>Figure</u>	<u>Pa</u>	<u>age</u>
1.	CNEL 70 CONTOUR FOR HOLLYWOOD BURBANK AIRPORT - THIRD QUARTER 2021	. 2
2.	CNEL 65 CONTOUR FOR HOLLYWOOD BURBANK AIRPORT - THIRD QUARTER 2021	. 3
3.	NOISE MONITOR LOCATIONS	. 5

QUARTERLY NOISE MONITORING AT HOLLYWOOD BURBANK AIRPORT THIRD QUARTER 2021

I. INTRODUCTION

In compliance with the California Noise Standards (Reference 1) and the current variance from certain provisions of the Standards (Reference 2), the operator of the Hollywood Burbank Airport is required to perform noise monitoring in the vicinity of the airport for the purpose of establishing a noise impact boundary. The Noise Standards currently specify a community noise equivalent level (CNEL) of 65 dB for the noise impact boundary. The airport is required to provide, each quarter, an updated annual noise impact contour based on measurement data over the four preceding quarters.

A permanent noise monitoring system became operational in April 1980 and, with brief interruption for system expansion, maintenance, and program changes, has been operational since that time. Of the original nine noise monitor sites, eight have remained unchanged since 1980. The monitor at site 8 was removed in 1997 and replaced by a monitor at site 18. Two sites were added east of the airport in late 1980. Four sites were added south of the airport in January 1986 in response to the requirement to determine the 65 dB contour. Three more locations were added in February 1997. Two of these, identified as 16 and 17, are south of the airport, and one, 18, is to the west. These locations were added to permit monitoring closer to the 65 dB contour. The noise monitoring computer at the airport was replaced in August 1995.


The Hollywood Burbank Airport Noise Monitoring System was modernized and augmented in late December 2012 by replacing the noise and flight track matching software, the noise monitoring hardware, and by adding sites 19, 20, 21, and 22 to allow closer monitoring to the current 65 dB CNEL contour. The old site 17 was removed as redundant with site 15, so the updated noise monitoring system contains 20 permanent microphone locations.

This report describes the data acquired by the monitoring system during the third quarter of 2021. Noise impact boundaries for 65 dB and 70 dB are shown based on these measurements and measurements obtained during the fourth quarter of 2020 and first and second quarter of 2021 reported in References 3, 4 and 5. Figure 1 shows the 70 dB contour and Figure 2 shows the 65 dB contour, based on the measured noise data.


-1-

_

¹ Prior to January 1, 1986, a CNEL of 70 dB defined the noise impact boundary.



BURBANK AIRPORT - 70 CNEL CONTOUR for 3rd QUARTER 2021



II. NOISE MEASUREMENTS

A. Sites


Aircraft noise levels were monitored at 15 locations prior to February, 1997. Two sites were added in February 1997, and equipment at one site west of the airport was moved to a new location. In July 2003, the monitor station at site 9 was moved 105 feet further west to accommodate new construction at the Fire Station. In December 2012, four new monitor sites were added and one existing site removed as redundant, leaving a total of twenty noise monitoring locations. The noise monitor sites are shown in Figure 3.

B. Noise Measurement Equipment

Each of the microphone locations uses an identical set of equipment connected to a central control unit. The noise level at each site is stored locally and transmitted by broad band connection to the central site once per 24-hour period. The automated noise and flight track monitoring software processes the data to produce (among other measures) the CNEL at each site. Appendix A provides a brief description of the system.

C. Noise Data

During this quarter, construction work on a DWP well adjacent to site 12 obscured aircraft noise on weekdays from August 9 through September 30. Tables 1, 2, and 3 show the aircraft CNEL measured at each monitoring site for each day of the quarter. The dashed lines indicate days for which a monitor was operating and acquiring aircraft noise data for less than 94% of the time. The data for these days was excluded from the averages.



BURBANK AIRPORT - NOISE MONITOR LOCATIONS

D. Operational Data

Operations of air carrier, general aviation and rotary-wing aircraft are determined from the Airport ANOMS computerized flight tracking system.

III. MEASURED NOISE DATA

Daily CNEL values for the noise monitoring system are listed in Tables 1, 2, and 3. Table 4 lists the average values for each guarter together with the annual average.

IV. SCHEDULED AIRLINE AND AIR TAXI OPERATIONS

The air carrier and commuter operations for the quarter are shown in Table 5.

V. CNEL CONTOUR DEVELOPMENT

The contours shown in Figures 1 and 2 are based upon computer-generated "master" contours which are adjusted to reflect the monitoring data. Beginning with the first quarter 2009, noise contours are developed using the master contours produced by Version 7.0 of the Integrated Noise Model (INM), a sophisticated aircraft noise modeling program developed for the Federal Aviation Administration. Inputs to the program consist of aircraft types and performance data, flight paths, numbers of operations, and day/evening/night distribution of flights. The program calculates CNEL values at equally spaced grid points and produces CNEL contour lines at 1 dB intervals. The annual average CNEL values at each site were marked at the appropriate locations on the contour map and the locations of the 65 and 70 dB CNEL contours were determined in the vicinity of each measuring point. These points were then joined following the general shape of the computed contours.

The master contours used in developing the contours for this quarter are based on operations for the 12-month period from January 1, 2019 through December 31, 2019. These replaced the previous master set of CNEL Contours which were based on operations for the 12-month period from January 1, 2014 through December 31, 2014.

TABLE 1. CNEL VALUES FOR JULY 2021

RMS NUMBER

Date	1,	2	3	4	5	6	7	9	10	11,	12	13	14	15	16	18	19	20	21	22
07/01/21	62.7	61.4	62.5	58.8	55.1	53.7	58.0	62.4	60.8	48.6	54.7	56.8	59.1	60.0	63.6	63.0	63.7	66.9	67.8	63.2
07/02/21	61.4	59.9	61.2	58.6	54.6	55.5	60.5	63.1	51.4	52.5	53.6	55.7	58.4	59.3	62.7	62.9	62.7	65.8	67.0	65.1
07/03/21	59.6	58.2	59.2	57.1	52.5	50.4	52.9	60.6	57.9	49.9	51.5	53.2	56.0	56.6	60.6	60.1	60.4	64.1	65.2	57.5
07/04/21	61.2	58.2	59.1	65.8	65.5	58.3	53.5	62.9	57.6	51.7	59.5	60.7	55.4	59.7	60.2	72.9	61.4	64.1	65.3	61.9
07/05/21	61.2	59.4	61.1	58.9	54.1	50.3	54.0	62.2	50.9	52.1	52.9	55.4	57.1	58.9	61.9	61.5	62.3	65.7	66.6	60.0
07/06/21	61.7	59.2	60.1	57.7	54.3	59.0	59.2	61.3	49.9	54.7	53.1	56.4	56.7	58.8	61.4	60.8	62.5	65.2	66.3	65.4
07/07/21	62.8	61.3	63.0	60.7	53.5	48.8	54.9	62.8	51.9	51.0	54.8	58.1	59.1	60.0	63.6	62.2	63.6	67.0	67.9	60.3
07/08/21	62.8	61.5	63.3	59.4	53.4	53.5	59.7	62.7	53.0	51.5	54.2	57.3	59.4	60.7	64.6	61.9	64.3	67.6	68.6	65.6
07/09/21	61.2	59.6	60.9	57.7	54.3	52.7	57.9	62.3	60.0	50.4	53.0	56.0	57.1	59.1	62.0	62.0	62.2	65.4	66.7	64.0
07/10/21	61.2	59.1	60.4	55.3	55.9	48.6	54.1	61.6	61.3	48.9	53.2	57.3	56.8	59.1	61.6	60.7	62.3	65.0	66.3	59.7
07/11/21	60.9	59.4	60.6	56.3	55.6	55.4	62.6	61.9	49.2	46.5	52.2	56.0	56.7	58.9	61.9	61.0	62.3	65.2	66.5	66.4
07/12/21	62.7	61.9	62.2	57.5	55.5	50.7	57.7	61.3	53.8	51.1	54.3	57.6	59.7	60.5	63.5	60.7	64.1	67.0	67.9	64.8
07/13/21	62.1	61.3	63.2	54.4	54.4	52.7	52.8	62.4	52.3	53.0	52.5	57.3	60.0	59.8	63.9	61.7	63.0	67.1	67.8	57.8
07/14/21	62.2	60.4	60.6	56.8	55.6	53.7	57.0	61.5	51.3	50.9	54.5	56.2	56.6	58.5	63.0	61.3	62.0	66.2	67.4	62.8
07/15/21	62.4	60.5	61.2	56.3	56.0	63.4	58.5	62.9	52.6	49.8	53.3	57.8	57.8	60.0	62.7	62.4	63.9	66.2	67.4	61.4
07/16/21	61.6	59.8	61.3	57.8	56.4	53.3	54.5	63.5	54.0	56.3	53.6	56.4	57.5	59.8	62.3	62.7	63.4	65.7	67.1	59.6
07/17/21	59.4	57.7	59.4	54.5	54.0	50.1	53.5	61.3	49.7	52.8	50.2	54.2	55.6	57.3	60.4	60.2	60.7	63.6	64.7	59.8
07/18/21	60.7	59.4	60.8	55.5	54.7	50.9	54.4	61.5	52.3	53.1	52.2	55.4	56.9	58.4	62.6	60.9	61.9	65.1	66.1	60.7
07/19/21	61.7	60.1	61.7	56.7	53.9	44.0	60.4	61.1	50.1	53.2	52.8	56.1	57.9	59.4	62.8	60.4	63.0	66.1	67.1	57.5
07/20/21	62.2	60.6	62.1	56.0	56.4	52.8	60.3	61.8	51.9	50.1	55.7	57.5	58.4	60.0	63.0	61.4	63.2	66.3	67.3	60.2
07/21/21	63.3	60.7	62.0	56.2	54.6	52.5	55.9	62.4	50.7	45.2	55.2	57.9	58.2	60.3	63.2	61.7	63.6	66.3	67.6	60.5
07/22/21	62.9	61.6	63.3	58.5	56.3	51.9	57.5	63.1	53.3	49.8	55.5	58.1	59.4	61.1	64.1	62.3	64.5	67.2	68.4	62.5
07/23/21	62.1	60.2	61.5	56.3	57.5	51.5	57.1	63.5	53.0	51.1	52.7	57.6	57.8	60.2	62.7	62.7	63.9	66.3	67.6	59.0
07/24/21	61.0	58.6	59.3	56.0	56.5	45.5	48.6	61.4	53.4	46.1	52.4	56.5	55.6	58.4	60.6	60.6	61.9	64.7	65.8	62.5
07/25/21	62.0	59.9	60.9	55.9	56.5	49.5	50.2	62.5	57.2	49.9	54.0	57.3	57.4	59.7	62.1	61.2	63.1	65.8	67.0	56.4
07/26/21	62.3	60.5	62.5	57.3	55.3	49.0	52.2	62.2	55.0	52.8	53.4	57.3	58.6	60.5	63.1	61.4	63.5	66.5	67.6	57.6
07/27/21	61.1	59.4	61.4	56.0	54.3	52.6	53.2	62.3	53.7	48.0	54.0	57.2	57.4	58.7	62.3	61.8	62.3	65.6	66.8	59.0
07/28/21	60.1	59.1	61.4	54.7	54.6	51.8	57.2	62.1	49.4	49.0	58.6	55.1	57.3	58.5	62.4	61.2	62.2	65.2	66.4	62.4
07/29/21	63.0	61.3	62.9	57.8	54.9	51.8	56.2	63.2	54.6	55.0	55.8	57.5	59.2	60.5	64.1	62.7	64.7	67.3	68.5	61.1
07/30/21	61.7	60.0	61.1	57.7	54.6	51.9	56.1	63.0	51.7	53.0	53.9	56.1	57.7	59.0	62.5	62.7	62.8	65.9	67.1	59.8
07/31/21	60.1	58.5	59.4	55.7	53.2	51.8	53.3	60.7	50.5	47.7	50.5	53.7	59.4	56.9	60.7	59.7	60.7	64.2	65.3	59.4
AVERAGE	61.8	60.1	61.4	58.0	56.3	54.1	57.0	62.2	54.9	51.6	54.3	56.9	57.9	59.4	62.6	63.1	62.9	65.9	67.0	61.9
NO. DAYS	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31

TABLE 2. CNEL VALUES FOR AUGUST 2021

RMS NUMBER

Date	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	18	19	20	21	22
08/01/21	61.3	60.2	62.0	53.7	53.3	48.2	50.7	62.0	54.3	50.5	54.3	56.8	58.0	59.5	63.0	61.4	62.8	66.2	67.4	58.3
08/02/21	60.6	59.3	60.8	57.1	52.8	47.7	52.1	61.2	50.6	52.3	53.0	55.1	57.2	58.1	62.1	60.3	61.9	65.6	66.6	58.8
08/03/21	61.6	60.0	61.5	57.9	54.7	52.5	57.5	62.1	50.1	50.4	53.5	56.0	57.9	58.3	62.5	61.7	62.3	66.0	66.9	62.2
08/04/21	60.5	58.9	60.6	58.9	53.5	56.3	56.8	62.9	49.9	51.1	53.0	54.9	56.9	57.7	62.4	62.2	61.5	65.3	66.3	62.3
08/05/21	60.4	58.0	59.5	57.7	53.7	52.3	55.3	60.2	52.4	51.1	52.1	55.3	55.9	58.0	60.8	59.2	61.5	64.5	65.7	61.2
08/06/21	61.9	60.6	61.8	57.7	55.8	52.3	53.3	63.6	54.4	48.6	59.9	56.7	58.2	60.2	63.1	62.8	63.6	66.5	67.6	59.2
08/07/21	60.1	58.5	59.2	53.9	53.7	50.2	48.4	62.3	51.5	48.6	51.5	55.9	55.6	58.1	60.4	61.2	61.5	64.3	65.5	56.0
08/08/21	60.8	58.6	59.9	56.7	53.2	49.3	48.7	62.1	49.3	50.0	52.1	55.9	56.3	58.4	61.4	61.6	62.0	64.8	66.2	58.6
08/09/21	61.2	59.3	60.6	56.1	54.6	51.5	52.1	61.0	51.8	46.9		56.3	57.5	58.3	61.8	60.6	62.2	65.3	66.4	62.9
08/10/21	62.3	61.4	62.8	58.9	55.3	52.4	53.2	62.4	53.3	49.3		57.0	59.3	58.6	63.9	61.8	63.3	66.8	67.6	60.9
08/11/21	62.2	61.2	63.0	56.2	54.3	51.6	49.9	62.9	52.0	50.9		56.9	59.6	59.5	64.2	62.5	62.8	67.3	67.7	56.9
08/12/21	61.3	59.7	60.9	55.8	55.3	51.4	51.6	63.0	52.4	48.6		56.7	57.4	59.2	62.4	62.6	63.2	66.0	67.0	61.4
08/13/21	61.5	59.8	61.0	56.5	55.5	49.5	50.3	62.4	51.2	51.4		56.7	57.4	59.9	62.5	61.6	63.3	66.5	67.3	58.9
08/14/21	59.3	57.8	59.4	52.1	51.8	49.2	48.0	59.9	52.1	47.5	50.8	54.0	55.8	56.9	60.6	59.3	60.5	63.9	64.8	59.4
08/15/21	60.2	58.9	60.1	55.1	54.0	53.7	56.8	60.4	47.6	46.9	51.1	55.0	56.8	58.1	61.9	59.6	61.5	64.8	66.0	64.7
08/16/21	61.0	59.1	60.4	56.5	53.7	51.6	58.5	62.2	49.8	49.5		55.8	56.9	58.6	61.9	61.6	62.3	65.2	66.5	64.5
08/17/21	61.6	60.1	62.3	56.3	54.9	51.8	58.0	63.3	52.3	55.2		57.3	58.6	59.2	63.1	62.7	62.8	66.3	67.2	61.9
08/18/21	62.6	60.4	61.2	57.0	57.6	52.0	52.9	63.5	52.2	50.5		58.0	57.9	59.8	62.4	62.8	63.5	66.2	67.1	58.4
08/19/21	62.0	60.9	62.4	51.9	56.8	52.6	59.1	63.2	53.3	49.7		58.5	59.2	60.2	63.5	62.4	63.6	66.9	67.7	63.8
08/20/21	61.5	60.2	61.6	54.1	56.0	44.5	48.4	62.8	51.6	50.5		57.3	58.1	60.5	62.8	63.0	63.8	66.0	67.2	54.8
08/21/21	59.5	58.9	59.3	51.1	56.1	49.1	46.4	60.6	50.8	54.1	51.6	54.8	55.8	57.7	60.6	60.2	60.8	64.1	65.1	55.5
08/22/21	61.0	59.3	60.6	54.6	57.2	53.5	58.2	61.2	49.8	46.4	52.3	56.1	57.0	59.3	61.9	60.8	62.3	65.3	66.5	64.2
08/23/21	61.1	59.5	61.1	54.4	55.9	52.5	53.3	61.4	50.8	47.9		56.3	57.3	59.5	62.5	61.2	62.6	65.6	66.6	60.3
08/24/21	61.6	60.3	61.9	56.3	57.6	54.9	56.5	62.3	52.2	48.9		57.5	58.2	59.5	62.9	61.9	62.5	65.7	66.9	63.5
08/25/21	62.2	60.3	60.7	55.3	55.4	53.0	56.7	61.5	50.9	51.4		57.4	57.7	58.5	62.4	60.9	62.4	66.1	66.9	61.8
08/26/21	61.7	60.2	62.2	54.7	55.1	54.0	56.8	61.4	48.6	46.8		55.8	58.2	59.0	63.2	60.9	62.2	66.5	67.4	63.4
08/27/21	60.3	58.3	59.2	56.1	55.7	54.3	54.5	62.6	50.2	55.9		54.7	55.9	57.0	60.8	62.3	61.1	64.8	65.6	60.2
08/28/21	59.7	58.1	59.8	54.1	52.1	52.9	58.1	59.4	49.4	47.2	50.4	54.6	55.9	57.3	61.0	58.9	61.0	64.1	65.1	65.3
08/29/21	60.9	59.7	60.5	57.2	53.0	52.1	55.0	62.1	50.8	48.1	53.2	55.7	57.2	58.3	62.2	61.5	61.9	65.8	66.7	61.7
08/30/21	61.8	59.6	60.7	57.3	55.1	51.4	54.4	64.1	52.9	51.9		58.3	57.2	60.1	61.8	64.8	63.5	65.5	66.8	60.2
08/31/21	61.0	59.2	60.4	57.1	56.5	53.2	53.5	63.2	49.4	48.6		56.2	57.5	58.5	61.7	62.7	61.6	64.8	65.8	59.8
AVERAGE	61.2	59.7	61.0	56.1	55.1	52.2	55.0	62.2	51.5	50.6	53.6	56.4	57.5	58.9	62.3	61.7	62.4	65.7	66.7	61.5
NO. DAYS	31	31	31	31	31	31	31	31	31	31	14	31	31	31	31	31	31	31	31	31

TABLE 3. CNEL VALUES FOR SEPTEMBER 2021

RMS NUMBER

Date	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	18	19	20	21	22
09/01/21	62.0	60.4	61.9	57.0	56.0	55.1	54.1	63.0	53.1	52.7		57.2	58.5	60.4	63.1	62.4	63.3	66.2	67.1	61.2
09/02/21	63.8	61.9	63.4	59.4	61.2	54.5	53.5	64.0	55.3	49.5		59.2	59.6	61.6	64.5	63.4	65.5	68.0	69.2	59.7
09/03/21	61.4	60.0	61.3	55.3	54.8	52.7	55.0	62.9	55.3	55.4		55.3	57.8	58.5	62.6	62.4	62.0	66.0	67.0	60.1
09/04/21	58.3	57.7	58.5	49.0	58.1	49.5	50.1	58.6	50.5	50.8	50.6	52.2	55.3	55.6	60.2	58.1	59.4	63.7	64.5	57.0
09/05/21	60.0	59.0	60.7	55.7	57.7	49.7	48.4	59.7	48.5	54.9	51.8	54.2	56.8	57.1	62.3	59.2	61.3	65.4	66.4	53.5
09/06/21	61.2	59.6	60.9	57.2	54.6	49.9	51.9	61.8	49.1	48.1	51.8	56.2	56.9	59.3	62.0	60.9	62.5	65.6	66.9	57.5
09/07/21	60.7	58.8	60.5	60.9	54.4	51.8	54.1	61.5	50.2	51.7		56.7	56.6	58.6	61.3	61.4	62.0	64.9	66.0	59.6
09/08/21	61.3	58.8	60.2	58.1	55.0	50.5	50.7	62.1	52.6	52.0		59.3	56.5	59.2	61.4	61.4	62.2	64.8	66.0	56.8
09/09/21	61.1	59.3	60.1	59.3	55.1	58.0	57.3	63.1	54.1	48.9		55.8	56.6	58.5	61.6	62.7	62.3	65.2	66.3	65.8
09/10/21	61.2	59.6	60.8	57.4	56.0	55.1	52.7	62.4	51.9	51.8		56.5	57.1	59.9	62.1	62.2	63.1	65.6	66.8	59.8
09/11/21	58.5	57.4	58.7	50.8	52.4	49.6	48.8	60.3	50.8	49.8	50.3	54.2	54.6	57.1	59.8	60.0	60.4	63.5	64.3	54.4
09/12/21	60.6	58.6	59.2	55.8	53.3	47.7	58.1	61.2	48.1	49.5	51.5	55.7	55.5	58.3	60.8	60.9	61.9	64.9	66.5	54.9
09/13/21	59.6	57.7	59.3	56.1	54.7	49.3	53.8	60.4	48.8	46.3		53.9	55.3	56.7	60.5	60.1	60.4	64.2	65.1	59.2
09/14/21	61.5	59.3	60.0	56.8	55.4	52.4	54.6	62.5	51.8	50.2		57.5	56.8	58.7	61.5	62.2	62.3	65.2	66.2	60.4
09/15/21	61.1	59.9	60.3	56.1	55.1	56.3	59.3	62.4	51.9	50.5		56.8	58.0	58.8	62.6	61.9	62.3	65.6	66.3	66.0
09/16/21	61.9	60.0	61.4	55.2	56.9	48.8	57.0	63.4	54.4	47.8		57.6	57.9	60.5	62.8	62.9	63.3	66.2	67.2	61.7
09/17/21	62.7	60.8	61.9	58.0	58.0	50.8	54.4	64.3	53.8	51.2		58.7	58.4	61.1	63.2	63.1	64.3	66.9	68.1	60.0
09/18/21	60.7	58.6	59.1	53.5	55.5	49.7	54.7	61.5	50.8	54.9	52.2	56.3	56.0	58.7	60.2	61.2	61.6	64.1	65.2	55.4
09/19/21	62.1	59.9	61.2	55.8	55.2	54.4	51.3	63.7	50.2	44.9	53.1	57.6	57.4	60.0	62.3	63.0	63.1	66.0	67.2	55.3
09/20/21	61.0	58.9	60.7	56.7	56.3	49.4	51.8	61.6	49.3	49.2		56.7	56.6	59.4	61.5	60.8	62.6	65.0	66.3	59.7
09/21/21	59.8	58.8	60.0	54.1	55.1	53.0	56.4	62.2	50.0	49.0		55.8	57.0	57.5	61.2	61.8	61.4	64.8	65.5	60.5
09/22/21	61.0	60.0	61.6	54.0	54.2	51.9	54.1	61.6	49.6	51.3		56.8	58.2	57.9	62.7	60.7	61.7	66.1	66.6	60.0
09/23/21	62.1	60.2	61.3	57.5	53.6	51.9	52.2	63.1	51.7	51.3		57.0	58.0	59.2	62.5	61.8	63.1	66.2	67.4	57.6
09/24/21	62.4	60.9	61.9	56.3	54.5	50.6	51.6	62.9	52.1	53.7		58.4	58.5	60.4	63.5	62.2	63.8	66.6	67.7	55.8
09/25/21	59.7	57.5	58.5	54.3	54.0	51.8	55.7	59.9	49.8	48.1	51.1	56.2	55.0	57.9	59.8	59.7	60.9	63.3	64.6	59.8
09/26/21	62.2	59.9	60.7	55.9	56.3	45.5	52.3	63.3	52.6	47.8	52.7	58.1	57.1	60.1	62.0	62.1	63.3	65.7	67.2	57.3
09/27/21	61.7	59.9	61.3	54.9	67.7	51.0	52.2	62.5	50.6	48.9		58.0	57.8	60.6	62.0	61.8	63.5	65.7	67.3	58.9
09/28/21	61.1	59.5	60.1	55.0	57.5	53.2	53.2	62.9	52.3	49.1		58.2	57.0	59.3	61.0	61.8	62.4	65.2	65.6	60.1
09/29/21	62.4	60.8	61.4	55.7	56.8	49.6	54.6	62.7	52.8	50.9		59.3	58.4	60.9	62.7	62.2	64.0	66.2	67.3	61.0
09/30/21	62.8	61.4	62.4	59.6	58.8	53.7	53.0	62.5	54.7	53.0		57.0	58.6	59.0	63.6	61.8	62.8	67.2	68.5	58.0
AVERAGE	61.4	59.6	60.8	56.6	57.8	52.4	54.3	62.3	52.0	51.1	51.8	57.0	57.3	59.2	62.1	61.7	62.6	65.6	66.7	59.9
NO. DAYS	30	30	30	30	30	30	30	30	30	30	9	30	30	30	30	30	30	30	30	30

TABLE 4. AVERAGE CNEL VALUES

Site No.	4th Quarter 2020	1st Quarter 2021	2nd Quarter 2021	3rd Quarter 2021	4 Quarter Average
1	57.7	58.0	60.4	61.4	59.7
2	55.8	55.7	58.5	59.8	58.3
3	57.0	56.8	59.8	61.0	59.0
4	54.8	55.9	56.0	57.0	56.0
5	55.5	56.1	55.8	56.5	56.0
6	53.4	55.7	52.7	53.0	53.9
7	51.7	55.1	54.5	55.6	54.4
9	58.1	58.0	60.9	62.2	60.2
10	50.6	51.9	53.1	53.0	52.3
11	50.1	51.9	50.6	51.1	50.6
12	51.5	51.5	52.8	53.7	69.6
13	53.3	53.9	55.8	56.7	55.1
14	54.0	53.9	56.5	57.5	55.8
15	55.6	55.2	58.0	59.1	57.3
16	58.6	58.9	61.0	62.3	60.5
18	57.6	57.4	60.4	62.2	59.8
19	58.6	58.1	61.2	62.6	60.5
20	61.9	61.4	64.3	65.7	63.7
21	62.4	62.2	65.3	66.7	64.6
22	57.2	59.5	60.0	61.2	59.7

Table 5. WEEKLY AIR CARRIER AND AIR TAXI FLIGHTS FOR THE THIRD QUARTER 2021

AIRCRAFT	AS EMB175		OPERATIO AS B7377	NS FROM	7/1/2021 AS A319	to	7/31/2021 AS B7378	3	1 DAYS AS B7379	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	0	0	27	21	31	8
EVENING	0	0	0	0	0	0	1	7	0	10
NIGHT	0	0	0	0	0	0	0	0	0	13
TOTAL	0	0	0	0	0	0	28	28	31	31
	AS A320	OPE	ERATIONS FI A21N	ROM	7/1/2021 US CRJ9	to	7/31/2021 AA B350		AA A320	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	43	36	0	0	25	25	2	0	0	0
EVENING	27	33	0	0	0	0	1	1	0	0
NIGHT	2	3	0	0	0	0	0	2	0	0
TOTAL	72	72	0	0	25	25	3	3	0	0
	A A D7270	OPE	ERATIONS FE	ROM	7/1/2021	to	7/31/2021		IIA A220	
	AA B7378 DEP	ARR	WN B38M DEP	ARR	WN B7377 DEP	ARR	WN B7378 DEP	ARR	UA A320 DEP	ARR
DAY	61	31	59	51	712	563	236	220	0	0
EVENING	0	30	12	17	91	185	75	73	0	0
NIGHT	0	0	2	5	7	62	4	22	0	0
TOTAL	61	61	73	73	810	810	315	315	0	0
		OPE	ERATIONS FE	ROM	7/1/2021	to	7/31/2021			
	UA B752		UA B7378		UA EMB175		UA RJ		UA CRJ7	
5.417	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	2	2	0	1	0	0	0	0	0	0
EVENING NIGHT	1 1	2 0	1 0	0	0	0	0	0	0	0
TOTAL	4	4	1	0 1	0 0	0 0	0 0	0 0	0 0	0 0
TOTAL	4	4	'	'	U	U	U	U	U	U
	FE A300	OPE	ERATIONS FF UPS B757	ROM	7/1/2021 UPS A300	to	7/31/2021 DL E175		DL CRJ	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	0	0	162	156	0	0
EVENING	0	0	0	0	0	0	28	31	0	0
NIGHT	0	0	0	0	0	0	2	5	0	0
TOTAL	0	0	0	0	0	0	192	192	0	0
	DL CRJ7	OPE	ERATIONS FF DL B7377	ROM	7/1/2021 DL B738	to	7/31/2021 B6 A320		VXP B7377	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	106	78	0	0	0	0	0	0	0	0
EVENING	1	22	0	0	0	0	0	0	0	0
NIGHT	0	7	0	0	0	0	0	0	0	0
TOTAL	107	107	0	0	0	0	0	0	0	0
	NKS A319	OPE	ERATIONS FF B6 A321	ROM	7/1/2021 B6 A21N	to	7/31/2021 NKS A320		A21N	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	1	0	2	2	15	16
EVENING	0	0	0	1	7	22	0	0	1	0
NIGHT	0	0	5	4	17	3	0	0	0	0
TOTAL	0	0	5	5	25	25	2	2	16	16
									TOTALS DEP 1322 218	ARR 1054 403
									38 1578	121 1578

Table 5. WEEKLY AIR CARRIER AND AIR TAXI FLIGHTS FOR THE THIRD QUARTER 2021

AIRCRAFT	AS EMB175		OPERATIO AS B7377	NS FROM	M 8/1/2021 AS A319	to	8/31/2021 AS B7378	3	1 DAYS AS B7379	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	0	0	7	8	53	21
EVENING	0	0	0	0	0	0	1	0	0	18
NIGHT	0	0	0	0	0	0	0	0	0	14
TOTAL	0	0	0	0	0	0	8	8	53	53
	AS A320	OPE	ERATIONS FI A21N	ROM	8/1/2021 US CRJ9	to	8/31/2021 AA B350		AA A320	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	47	44	1	1	44	44	1	1	0	0
EVENING	27	28	Ö	Ö	0	0	Ö	Ö	0	Ö
NIGHT	1	3	0	0	Ö	Õ	Ö	Ö	Ö	Ö
TOTAL	75	75	1	1	44	44	1	1	Ö	0
		OPE	ERATIONS FI	ROM	8/1/2021	to	8/31/2021			
	AA B7378		WN B38M		WN B7377		WN B7378		UA A320	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	84	44	43	42	765	630	253	236	0	0
EVENING	3	42	16	13	104	181	70	68	0	0
NIGHT	0	1	0	4	4	62	5	24	0	0
TOTAL	87	87	59	59	873	873	328	328	0	0
	UA B752	OPE	ERATIONS FI	ROM	8/1/2021	to	8/31/2021		LIA CD IZ	
	DEP	ARR	UA B7378 DEP	ARR	UA EMB175 DEP	A D D	UA RJ DEP	ARR	UA CRJ7 DEP	ARR
DAY	0	ARR 0	0	ARR 0	0	ARR 0	0	0 0	0	AKK 0
EVENING	1	1	0	0	0	0	0	0	0	0
NIGHT	0	0	0	0	0	0	0	0	0	0
TOTAL	1	1	0	0	0	0	0	0	0	0
TOTAL	'	ı	U	U	U	U	U	U	U	U
	FE A300	OPE	ERATIONS FI UPS B757	ROM	8/1/2021 UPS A300	to	8/31/2021 DL E175		DL CRJ	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	0	0	176	177	4	4
EVENING	0	0	0	0	0	0	32	26	0	0
NIGHT	0	0	0	0	0	0	0	5	0	0
TOTAL	0	0	0	0	0	0	208	208	4	4
	DI 0D 17	OPE	ERATIONS FI	ROM	8/1/2021	to	8/31/2021		VVD D7077	
	DL CRJ7 DEP	ARR	DL B7377 DEP	ARR	DL B738 DEP	ARR	B6 A320 DEP	ARR	VXP B7377 DEP	ARR
DAY	50	35	0	0	0	0	0	0	23	18
EVENING	2	15	0	0	0	0	1	1	0	3
NIGHT	0	2	0	0	0	0	1	1	0	2
TOTAL	52	52	0	0	0	0	2	2	23	23
TOTAL	JZ	32	Ū	O	Ū	Ü	2		25	23
	NKS A319		ERATIONS FI B6 A321	ROM	8/1/2021 B6 A21N	to	8/31/2021 NKS A320		A21N	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	0	0	5	5	11	11
EVENING	0	0	0	2	14	23	0	0	0	0
NIGHT	0	0	3	1	11	2	0	0	0	0
TOTAL	0	0	3	3	25	25	5	5	11	11
									TOTALS DEP 1387 239	ARR 1140 395
									25 1651	116 1651

Table 5. WEEKLY AIR CARRIER AND AIR TAXI FLIGHTS FOR THE THIRD QUARTER 2021

AIRCRAFT			OPERATIO AS B7377	NS FROM	AS A319	to	9/30/2021 AS B7378	3	0 DAYS AS B7379	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	4	7	0	0	27	27	76	63
EVENING	0	0	3	0	0	0	3	3	17	20
NIGHT	0	0	0	0	0	0	0	0	0	10
TOTAL	0	0	7	7	0	0	30	30	93	93
	AS A320	OPE	ERATIONS FF A21N	ROM	9/1/2021 US CRJ9	to	9/30/2021		A A A 2 2 0	
	DEP	A DD	DEP	ADD	DEP	A DD	AA B350	A D D	AA A320	ADD
DAY	10	ARR 12	0	ARR 0	37	ARR 37	DEP	ARR 1	DEP 23	ARR 23
EVENING	8	6	0	0	0	0	3 0	1	23 0	0
NIGHT	0	0	0	0	0	0	0	1	0	0
TOTAL	18	18	0	0	37	37	3	3	23	23
TOTAL	10	10	U	U	31	31	3	3	23	23
	AA B7378	OPE	ERATIONS FF WN B38M	ROM	9/1/2021 WN B7377	to	9/30/2021 WN B7378		UA A320	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	114	56	26	26	1070	937	121	113	0	0
EVENING	1	58	10	10	173	281	31	34	0	0
NIGHT	0	1	1	1	5	30	0	5	0	0
TOTAL	115	115	37	37	1248	1248	152	152	0	0
	UA B752	OPE	ERATIONS FF UA B7378	ROM	9/1/2021 UA EMB175	to	9/30/2021 UA RJ		UA CRJ7	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	2	3	0	0	0	0	0	0	0	0
EVENING	2	3 1	0	0	0	0	0	0	0	0
NIGHT	0	0	0	0	0	0	0	0	0	0
	4	4	0	0	0	0	0	0	0	0
TOTAL	4	4	U	U	U	U	U	U	U	U
	FE A300		ERATIONS FF UPS B757		9/1/2021 UPS A300	to	9/30/2021 DL E175		DL CRJ	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	0	0	223	199	67	45
EVENING	0	0	0	0	0	0	31	50	0	22
NIGHT	0	0	0	0	0	0	0	5	0	0
TOTAL	0	0	0	0	0	0	254	254	67	67
	DL CRJ7	OPE	ERATIONS FF DL B7377	ROM	9/1/2021 DL B738	to	9/30/2021 B6 A320		VXP B7377	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	50	35	0	0	0	0	2	2	53	47
EVENING	2	15	0	0	0	0	0	0	0	6
NIGHT	0	2	0	0	0	0	0	0	0	0
TOTAL	52	52	0	0	0	0	2	2	53	53
	NKS A319		ERATIONS FF B6 A321	ROM	9/1/2021 B6 A21N	to	9/30/2021 NKS A320		A21N	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	0	0	21	21	10	10	16	16
EVENING	0	0	1	1	11	18	0	0	0	0
NIGHT	0	0	0	0	7	0	0	0	Ö	0
TOTAL	0	0	1	1	, 39	39	10	10	16	16
	· ·	•	•	•					. •	. •
									TOTALS DEP 1665 262	ARR 1436 454
									13 1940	50 1940

Table 5. (continued)

PERIOD TOTALS FOR AIR CARRIERS AND COMMUTERS

AIR CARRIERS

	<u>DEP</u>	<u>ARR</u>
DAY	21798	18147
EVE	3348	6092
NIGHT	378	1286
TOTAL	25525	25525

COMMUTERS

	<u>DEP</u>	<u>ARR</u>
DAY	2479	2336
EVE	403	476
NIGHT	9	79
TOTAL	2891	2891

AIR CARRIERS AND COMMUTERS

	<u>DEP</u>	<u>ARR</u>	
DAY	24277	20483	
EVE	3751	6568	
NIGHT	387	1365	_
TOTAL	28416	28416	•

VI. INCOMPATIBLE LAND USE

The contours shown in Figures 1 and 2 were digitized and overlaid on a digital land use map of the area around the Airport. The total areas enclosed by the 65 and 70 dB CNEL contours were 456.6 and 234.2 acres, respectively. The areas of incompatible land uses enclosed by the contours were then computed. The incompatible land use areas were 3.41 acres within the 65 dB contour of which 0 acres were also within the 70 dB contour.

It should be noted that the above incompatible land areas do not include the soundproofed schools in the vicinity of the Airport (the Luther Burbank Middle School, St. Patrick and Glenwood Schools). The above incompatible land use areas also do not include those residences to which the Airport has acquired avigation easements. Within the 65 dB contour, the Airport has acquired avigation easements, through its ongoing residential sound insulation program, to 69 parcels of land. These parcels total 9.97 acres. No parcels are also located within the 70 dB contour. The Airport has acquired avigation easement to a number of parcels under California law pursuant to the Baker v. Burbank-Glendale-Pasadena Airport Authority line of legal decisions. One of these "Baker" parcels remains within the Airport's current 65 dB CNEL contour.

It should be noted that the Airport Authority has made repeated attempts over the past several years to acoustically treat and obtain avigation easement at the 23 single family residential parcels, totaling approximately 3.41 acres of the incompatible land use area within the 65 dB contour. Owners of these parcels have either refused to respond to notices regarding the sound insulation program, have withdrawn from the program, or own property with major building code deficiencies that prevent them from participating.

The estimated numbers of incompatible residences is 23 within the 65 dB contour, of which 0 are also within the 70 dB contour. The estimated numbers of people residing within the 65 and 70 dB CNEL contours are 62 and 0, respectively.

REFERENCES

- California Department of Transportation, Division of Aeronautics, "Noise
 Standards", California Code of Regulations, Title 21, Chapter 2.5, Subchapter 6.
- 2. L-30488, Department of Transportation, State of California, 27 June 1984.
- "Quarterly Noise Monitoring at Hollywood Burbank Airport, Fourth Quarter 2020",
 AAAI Report 1585.
- "Quarterly Noise Monitoring at Hollywood Burbank Airport, First Quarter 2021",
 AAAI Report 1590.
- "Quarterly Noise Monitoring at Hollywood Burbank Airport, Second Quarter 2021", AAAI Report 1596.

APPENDIX A NOISE MONITOR INSTRUMENTATION

APPENDIX A NOISE MONITOR INSTRUMENTATION

The permanent noise monitor system, manufactured by Bruel & Kjaer, consists of 20 noise monitoring terminals (NMT) connected to a central site by DSL or wireless connections. The system block diagram showing the major elements is shown in Figure A-1. The electrical signal generated by the microphone/preamplifier assembly at each site is processed and saved locally in the B & K sound level meter. The signal is passed through an A-weighting filter and is then detected and converted to a digital level signal in decibels with a resolution of 0.1 dB.

The stored sound level data at each site is dumped once every 24-hour period via wireless or DSL connection to the central site. The data received by the central site are processed by the ANOMS computer software. According to preset parameters, the noise is separated into two categories--aircraft noise and community noise. Each event attributed to an aircraft is saved in a noise event file. Computations are made of hourly noise level, community noise equivalent level, runway use, and other parameters. A wide variety of data presentations is available by exercising a number of routines provided by B & K, as well as special-purpose routines that can be generated by the user.

The locations of the remote sites (shown in Figure 3) are listed by latitude and longitude in Table A-1.




Figure A-1. Permanent Noise Monitor System Schematic

TABLE A-1
NOISE MONITOR SITE LOCATIONS

NMT	Latitude	Longitude
1	34.188424	-118.358983
2	34.184296	-118.347330
3	34.175731	-118.354197
4	34.212022	-118.364391
5	34.215261	-118.357381
6	34.220705	-118.365214
7	34.224979	-118.363989
9	34.198871	-118.398889
10	34.195336	-118.342392
11	34.197321	-118.340376
12	34.190175	-118.365404
13	34.181303	-118.345270
14	34.178786	-118.347134
15	34.173922	-118.363157
16	34.181185	-118.350949
18	34.196899	-118.389014
19	34.181277	-118.357866
20	34.188378	-118.351878
21	34.186700	-118.354939
22	34.217035	-118.361725

APPENDIX B CALIBRATION

APPENDIX B CALIBRATION

The system was calibrated during setup using a Bruel and Kjaer acoustic calibrator. Acoustic calibrations are performed annually. Electrical calibrations are performed automatically four times per 24-hour day. Figure B-1 shows the calibration summary for January 2013 and Figure B-2 shows the detailed electrical calibration report for Noise Monitor Site 1.



Devices Report

RMT Calibration Results

Bob Hope Airport

Start Date: 04-Jan-2013 End Date: 31-Jan-2013

Monitor Location: 1 - 1, (Fixed)

Seven Day Period Commencing: Friday January 04, 2013

Calibrated with Sound Calibrator: Never

Number of Calibrations: 27

Average adjustment for this RMT over this period: 0.10 dB

Date Time	Expected Result	Value Measured	Calibration Error
04-Jan-2013 0:00	87.1	87.2	0,3
04-Jan-2013 6:00	87.1	87.2	:O:3
04-Jan-2013 12:00	87.1	87.2	0.1
04-Jan-2013 18:00	87.1	87.2	0.0
05-Jan-2013 0:00	87.1	87.2	:0:3
05-Jan-2013 6:00	87.1	87.2	0.1
05-Jan-2013 12:00	87.1	87.2	0.5
05-Jan-2013 18:00	87.1	87.2	0.3
06-Jan-2013 0:00	87.1	87.2	0.1
06-Jan-2013 6:00	87.1	87.2	0.1
06-Jan-2013 12:00	87.1	87.2	0.3
06-Jan-2013 18:00	87.1	87.2	0.1
07-Jan-2013 0:00	87.1	87.2	0.0
07-Jan-2013 6:00	87.1	87.2	0.3
07-Jan-2013 12:00	87.1	87.2	0.1
07-Jan-2013 18:00	87.1	87.2	0.0
08-Jan-2013 0:00	87.1	87.2	0.1
08-Jan-2013 6:00	87.1	87.2	0.1
08-Jan-2013 12:00	87.1	87.3	0.2
08-Jan-2013 18:00	87.1	87.2	0.1
09-Jan-2013 0:00	87.1	87.2	0.1
09-Jan-2013 6:00	87.1	87.2	t.o
09-Jan-2013 12:00	87.1	87.2	0.1
09-Jan-2013 18:00	87.1	87.2	0.1
10-Jan-2013 0:00	87.1	87.2	1,0
10-Jan-2013 6:00	87.1	87.2	0.1
10-Jan-2013 12:00	87.1	87.2	0.1

15-May-2013 Page 1 of 8



Devices Report

RMT Calibration Results

Bob Hope Airport

Start Date: 04-Jan-2013

End Date: 31-Jan-2013

М	onitor Location	04-Jan-2013	11-Jan-2013	18-Jan-2013	25-Jan-2013
1	1	0.1	0.1	0.1	0,1
2	2	0.4	0.4	0.3	0.3
3	3	0.5	0.0	0.0	0.0
4	4	0.3	0.3	0.3	0,3
5	#5	0.2	0.2	0.2	0.2
6	6	0.0	0.0	0.0	0.0
7	7	0.3	0.3	0.3	0.3
9	9	0.2	0.2	0.2	0.2
10	10	0.2	0.2	0.2	0.2
11	11	0.6	0.0	0.0	0.0
12	12	0.3	0.3	0.3	0.3
13	13	0.0	0.0	0.0	0.0
14	14	0.0	0.0	0.0	0.0
15	15	0.0	0.0	0.0	0.0
16	16	0.4	0.4	0.4	0.4
18	18	0.0	0.0	0.1	0.1
19	19	0.0	0.0	0.0	0.0
20	20	0.1	0.0	0.1	0.1
21	21	0.0	0.0	0.0	0.0
22	22	0.0	0.0	0.0	0.0

15-May-2013 Page 1 of 2